

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Date of issue: 02/24/2010 Revision date: 05/05/2010 Supersedes: 04/16/20 Version: 3.3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : OC Personal Protection Spray

Product name : TRIPLE ACTION MACE W/PEPPER (AEROSOL)

Product code : 4030, 80112, 80136, 80141, 80185, 80195, 80196, 80204, 80206, 80207, 80208,

80209, 80210, 80342, 80343, 80812, 80836, 80841, 80100, 80101, 80102, 80103, 80000,

80004, 80001, 80002

: 2015005

1.2. Relevant identified uses of the substance or mixture and uses advised against

Self defense device

SDS ID

1.3. Details of the supplier of the safety data sheet

Mace Security International, Inc. 4400 Carnegie Avenue Cleveland, OH, 44103 Tel: 440-424-5321

1.4. Emergency telephone number

Emergency number : CHEMTREC (800) 424-9300

Outside USA: +1 703-527-3888

24 hours

Customer ID: CCN13561

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Contains Gas Under Pressure H280
Skin Irrit. 2
Eye Irrit. 2A
Skin Sens. 1
STOT SE 3
Flammable Aerosol, Category 1
H280
H315
H317
H319
H335
Flammable Aerosol, Category 1
H222
Full text of H-phrases: see section 16

2.2. Label elements

GHS-US labelling

Hazard pictograms (GHS-US)



GHS07



: Warning

Signal word (GHS-US) H222, Extremely flammable aerosol, Category 1

Hazard statements (GHS-US)

H280 - Contains gas under pressure; may explode if heated

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation H335 - May cause respiratory irritation

Precautionary statements (GHS-US) : P261 - Avoid breathing mist, spray, vapours

P264 - Wash hands, forearms and face thoroughly after handling

P271 - Use only outdoors or in a well-ventilated area

P272 - Contaminated work clothing must not be allowed out of the workplace

P280 - Wear eye protection, protective clothing, protective gloves

P302+P352 - If on skin: Wash with plenty of soap

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing P312 - Call a POISON CENTER if you feel unwell

P321 - Specific treatment (see a POISON CENTER on this label)
P332+P313 - If skin irritation occurs: Get medical advice/attention
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention

09/09/2016 EN (English) SDS ID: 2015005 Page 1

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

P337+P313 - If eye irritation persists: get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse

P363 - Wash contaminated clothing before reuse

P403+P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

P410+P403 - Protect from sunlight. Store in a well-ventilated place

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation

2.3. Other hazards

No additional information available

Unknown acute toxicity (GHS-US) 2.4.

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. **Mixture**

Name	Product identifier	%	GHS-US classification
Dipropylene glycol monomethyl ether	(CAS No) 34590-94-8	40-60	Flam. Liq. 4, H227 Eye Irrit. 2A, H319 STOT SE 3, H335
D-Limonene	(CAS No) 5989-27-5	40-60	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
.alphaChloroacetophenone	(CAS No) 532-27-4	0.8	Acute Tox. 3 (Oral), H301

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1.	Description of	of first aid	measures

First-aid measures general Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible). Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation Cough. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If

breathing is difficult, give oxygen. If not breathing, give artificial respiration. Call a POISON

CENTER or doctor/physician if you feel unwell.

First-aid measures after skin contact Wash with plenty of soap and water. Wash contaminated clothing before reuse. Do not apply

salves or creams to affected area. If skin irritation persists, seek medical attention.

First-aid measures after eye contact Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes

minimum). Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation

persists: Get medical advice/attention.

Rinse mouth. Do NOT induce vomiting. If the person is fully conscious, make him/her drink First-aid measures after ingestion

water. Never give an unconscious person anything to drink. Contact the Poison Control Centre

at 1-800-222-1222.

4.2. Most important symptoms and effects, both acute and delayed

: Shortness of breath. May cause respiratory irritation. Symptoms/injuries after inhalation

Symptoms/injuries after skin contact Irritation. May cause an allergic skin reaction.

Symptoms/injuries after eye contact Causes serious eye irritation.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

Special hazards arising from the substance or mixture

Fire hazard : Flammable aerosol.

09/09/2016 SDS ID: 2015005 2/9 EN (English)

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of

burns and injuries.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment. DO NOT fight fire when fire

reaches explosives. Evacuate area.

Protective equipment for firefighters : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove

ignition sources. Use special care to avoid static electric charges.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel. For further information refer to section 8 : Exposure-

controls/personal protection.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even

after use. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed

out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands

after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Protect from sunlight. Store in a well-ventilated place. Keep cool. Keep container tightly closed.

Do not expose to temperatures exceeding 50 °C/ 122 °F. Store locked up.

Incompatible products : No additional information available.

Incompatible condition : Sources of ignition. Direct sunlight. Heat sources.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Dipropylene glycol monomethyl ether (34590-94-8)		
ACGIH	ACGIH TWA (ppm)	100 ppm
ACGIH	ACGIH STEL (ppm)	150 ppm
OSHA	OSHA PEL (TWA) (mg/m³)	600 mg/m³

09/09/2016 EN (English) SDS ID: 2015005 3/9

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Dipropylene glycol monomethyl ether (34590-94-8)		
OSHA	OSHA PEL (TWA) (ppm)	100 ppm

D-Limonene (5989-27-5)	
ACGIH	Not applicable
OSHA	Not applicable

.alphaChloroacetophenone (532-27-4)		
ACGIH	ACGIH TWA (ppm)	0.05 ppm
OSHA	OSHA PEL (TWA) (mg/m³)	0.3 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	0.05 ppm

8.2. Exposure controls

Appropriate engineering controls : Emergency eye wash fountains and safety showers should be available in the immediate

vicinity of any potential exposure. Ensure good ventilation of the work station.

Personal protective equipment : Protective goggles. Gloves. Protective clothing. Insufficient ventilation: wear respiratory

protection.









Hand protection : Wear protective oil and chemical gloves.

Eye protection : Chemical goggles or safety glasses.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : In case of insufficient ventilation wear appropriate respiratory protection.

Other information : Do not eat, drink or smoke during use. Environmental exposure controls : Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Thin liquid/ Aerosol
Color : Light amber

Odor : Pungent, highly irritating

Odor threshold : No data available

pH : 4.5 - 6

Relative evaporation rate (butyl acetate=1) : No data available
Melting point : No data available
Freezing point : No data available

Boiling point : 100 - 190 °C (212 - 374 °F) Flash point : 49 °C (120 °F) (Closed cup)

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : No data available
Vapor pressure : No data available
Relative vapor density at 20 °C : No data available
Relative density : 0.97 (water=1)

Solubility : Completely soluble in water

Log Pow : No data available
Log Kow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available

09/09/2016 EN (English) SDS ID: 2015005 4/9

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Oxidising properties : No data available Explosive limits : No data available

9.2. Other information

Heat of Combustion : > 20 kJ/g (Calculated -10.5 to -7 kJ/g)

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapor.

10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

10.3. Possibility of hazardous reactions

Hazardous polymerization may occur if exposure to fire conditions

10.4. Conditions to avoid

Direct sunlight. High temperatures. Heat. Sparks. Open flame. Overheating

10.5. Incompatible materials

No additional inforation available.

10.6. Hazardous decomposition products

Fume. Carbon monoxide. Carbon dioxide, hydrocarbons.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

(Based on available data, the classification criteria are not met.)

Dipropylene glycol monomethyl ether (34590-94-8)	
LD50 oral rat	5230 mg/kg
LD50 dermal rabbit	9500 mg/kg
ATE US (oral)	5230.000 mg/kg bodyweight
ATE US (dermal)	9500.000 mg/kg bodyweight

.alphaChloroacetophenone (532-27-4)		
LD50 oral rat	127 mg/kg	
ATE US (oral)	127 000 mg/kg hodyweight	

Skin corrosion/irritation : Causes skin irritation.

pH: 4.5 - 6

Serious eye damage/irritation : Causes serious eye irritation.

pH: 4.5 - 6

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

D-Limonene (5989-27-5)	
IARC group	3 - Not classifiable
National Toxicology Program (NTP) Status	1 - Evidence of Carcinogenicity

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : May cause respiratory irritation.

09/09/2016 EN (English) SDS ID: 2015005 5/9

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

Symptoms/injuries after inhalation : May cause respiratory irritation.

Symptoms/injuries after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/injuries after eye contact : Eye irritation.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Very toxic to aquatic life with long lasting effects.

Dipropylene glycol monomethyl ether (34590-94-8)	
LC50 fish 1	> 10000 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 1	1919 mg/l (Exposure time: 48 h - Species: Daphnia magna)

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

Dipropylene glycol monomethyl ether (34590-94-8)	
Log Pow	-0.064 (at 20 °C)

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on ozone layer :

Effect on the global warming : No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Additional information : Handle empty containers with care because residual vapors are flammable.

. Handle empty containers with care because residual vapors are naminable

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with DOT

Transport document description (ADR)

UN-No.(DOT)

Limited Quantity

Limited Quantity

Limited Quantity

Proper Shipping Name (DOT)

Hazard Classes (DOT)

:Limited Quantity

Hazard labels (DOT)

DOT Packaging Exceptions (49 CFR 173.xxx) : 156, 306
DOT Packaging Non Bulk (49 CFR 173.xxx) : 156, 306
DOT Packaging Bulk (49 CFR 173.xxx) : None
DOT Quantity Limitations Passenger aircraft/rail : 30 kg

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : Forbidden

CFR 175.75)

09/09/2016 EN (English) SDS ID: 2015005 6/9

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Additional information

Other information : No supplementary information available.

ADR

No additional information available

Air transport

UN-No.(IATA) : ID8000

Proper Shipping Name (IATA) : Limited Quantity

Class (IATA) : 9 - Miscellaneous Dangerous Goods

Transport by sea

UN-No.(IMDG) : 1950
Proper Shipping Name (IMDG) : AEROSOL

Class (IMDG) : 2.1 - Class 2.1 - Flammable gases

(each not exceeding 1 L capacity)

Hazard labels (IMDG)



Excepted Quantity code (IMDG) : E0 (Not permitted as Excepted Quantity)

EMS : F-D, S-U

SECTION 15: Regulatory information

15.1. US Federal regulations

Dipropylene glycol monomethyl ether (34590-94-8)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
EPA TSCA Regulatory Flag T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.	

D-Limonene (5989-27-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

.alpha.-Chloroacetophenone (532-27-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on United States SARA Section 313

SARA Section 313 - Emission Reporting 1.0 %

15.2. International regulations

CANADA

Dipropylene glycol monomethyl ether (34590-94-8)		
Listed on the Canadian DSL (Domestic Sustances List)		
WHMIS Classification	Class B Division 3 - Combustible Liquid	
D-Limonene (5989-27-5)		
Listed on the Canadian DSL (Domestic Sustances List)		
WHMIS Classification	Class B Division 3 - Combustible Liquid Class D Division 2 Subdivision B - Toxic material causing other toxic effects	
.alphaChloroacetophenone (532-27-4)		
Listed on the Canadian NDSL (Non-Domestic Substances List)		
WHMIS Classification	Class D Division 1 Subdivision A - Very toxic material causing immediate and serious toxic effects Class D Division 2 Subdivision B - Toxic material causing other toxic effects Class E - Corrosive Material	

EU-Regulations

09/09/2016 EN (English) SDS ID: 2015005 7/9

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Dipropylene glycol monomethyl ether (34590-94-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

D-Limonene (5989-27-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

.alpha.-Chloroacetophenone (532-27-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Aerosol 2 H223 Skin Irrit. 2 H315 Skin Sens. 1 H317 Aquatic Acute 1 H400 Aquatic Chronic 1 H410

Full text of H-phrases: see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

No information available

15.2.2. National regulations

Dipropylene glycol monomethyl ether (34590-94-8)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Canadian IDL (Ingredient Disclosure List)

D-Limonene (5989-27-5)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Canadian IDL (Ingredient Disclosure List)

.alpha.-Chloroacetophenone (532-27-4)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Canadian IDL (Ingredient Disclosure List)

15.3. US State regulations

SECTION 16: Other information

Revision date : 05/05/2021 Other information : None.

Indication of changes : Transport information (DOT)

09/09/2016 EN (English) SDS ID: 2015005 8/9

Safety Data Sheet according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Full text of H-phrases:

 Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
 Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
 Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
 Compressed gas	Gases under pressure : Compressed gas
 Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
 Flam. Liq. 3	Flammable liquids, Category 3
 Flam. Liq. 4	Flammable liquids Category 4
 Skin Irrit. 2	Skin corrosion/irritation Category 2
 Skin Sens. 1	Sensitisation — Skin, category 1
 STOT SE 3	Specific target organ toxicity (single exposure) Category 3
 H226	Flammable liquid and vapor
 H227	Combustible liquid
 H280	Contains gas under pressure; may explode if heated
 H301	Toxic if swallowed
 H315	Causes skin irritation
 H317	May cause an allergic skin reaction
 H319	Causes serious eye irritation
 H335	May cause respiratory irritation
 H400	Very toxic to aquatic life
 H410	Very toxic to aquatic life with long lasting effects

The information presented herein is believed to be correct but is not purported to be all inclusive and shall be used only as a guide. AMSPEC Chemical shall not be held liable for any damage resulting from handling or from contact with the above product.

09/09/2016 EN (English) SDS ID: 2015005 9/9