

# Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Date of issue: 08/01/2008 Revision date: 04/15/2020 Supersedes: 11/21/2016 Version: 2.3

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Trade name : OC Personal Protection Spray

Product name : 10% PEPPER KEYGUARD, MINI, TORCH, PEN

Product code : 80344, 80365, 80366, 80438, 80439, 80440,80441,80442, 80443, 80444, 80445,

80447, 80448, 80449, 80809, 80810, 80811, 900097, 910093, 910094

SDS ID : 2015003

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Self defense device

### 1.3. Details of the supplier of the safety data sheet

Mace Security International, Inc. 4400 Carnegie Avenue Cleveland, OH, 44103 Tel: 440-424-5321

#### 1.4. Emergency telephone number

Emergency number : CHEMTREC (800) 424-9300

Outside USA: +1 703-527-3888

24 hours

Customer ID: CCN13561

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### **GHS-US** classification

Compressed gas H280 Skin Irrit. 2 H315 Eye Irrit. 2A H319

Full text of H-phrases: see section 16

### 2.2. Label elements

## **GHS-US labelling**

Hazard pictograms (GHS-US)





S04 GHS07

Signal word (GHS-US) : Warning

Hazard statements (GHS-US) : H280 - Contains gas under pressure; may explode if heated

H315 - Causes skin irritation H319 - Causes serious eye irritation

Precautionary statements (GHS-US) : P264 - Wash hands, forearms and face thoroughly after handling

P280 - Wear eye protection, protective gloves P302+P352 - If on skin: Wash with plenty of water

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P321 - Specific treatment (see First aid measures on this label)
P332+P313 - If skin irritation occurs: Get medical advice/attention
P337+P313 - If eye irritation persists: get medical advice/attention
P362 - Take off contaminated clothing and wash before reuse
P410+P403 - Protect from sunlight. Store in a well-ventilated place

#### 2.3. Other hazards

No additional information available

11/21/2016 EN (English) SDS ID: 2015003 Page 1

# Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

#### Unknown acute toxicity (GHS-US)

Not applicable

# SECTION 3: Composition/information on ingredients

#### 3.1. Substance

Not applicable

#### 3.2. **Mixture**

Name	Product identifier	%	GHS-US classification
Resins, oleo-, capsicum	(CAS No) 8023-77-6	10	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
1,1,1,2-Tetrafluoroethane – Propellant	(CAS No) 811-97-2	90	Compressed gas, H280

Full text of H-phrases: see section 16

# **SECTION 4: First aid measures**

#### Description of first aid measures 4.1.

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not First-aid measures after inhalation

breathing, give artificial respiration. Call a POISON CENTER or doctor/physician if you feel

First-aid measures after skin contact Wash with plenty of soap and water. Wash contaminated clothing before reuse. Do not apply

salves or creams to affected area. If skin irritation persists, seek medical attention.

Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes First-aid measures after eve contact

minimum). Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation

persists: Get medical advice/attention.

Do NOT induce vomiting. If the person is fully conscious, make him/her drink water. Never give First-aid measures after ingestion

an unconscious person anything to drink. Contact the Poison Control Centre at 1-800-222-

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation Shortness of breath. May cause respiratory irritation.

Symptoms/injuries after skin contact Causes skin irritation.

Symptoms/injuries after eye contact : Causes serious eye irritation.

Symptoms/injuries after ingestion : May cause irritation to mouth, throat and stomach upon direct contact.

# Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Non known.

#### 5.2. Special hazards arising from the substance or mixture

: Not flammable Fire hazard

Explosion hazard Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of

burns and injuries.

Advice for firefighters

Use water spray or fog for cooling exposed containers. Exercise caution when fighting any Firefighting instructions

chemical fire. DO NOT fight fire when fire reaches explosives. Evacuate area.

Protective equipment for firefighters : Do not enter fire area without proper protective equipment, including respiratory protection.

# **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

General measures No open flames. Isolate from fire, if possible, without unnecessary risk. Remove ignition

sources

6.1.1. For non-emergency personnel

: Evacuate unnecessary personnel. For further information refer to section 8 : Exposure-**Emergency procedures** 

controls/personal protection.

09/09/2016 EN (English) SDS ID: 2015003 2/7

# Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

#### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area

# 6.2. Environmental precautions

No additional information available

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store away from other materials.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed : Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or

burn, even after use.

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent formation

of vapor. Do not spray on an open flame or other ignition source. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area.

Hygiene measures : Wash hands thoroughly after handling. Wash hands and other exposed areas with mild soap

and water before eating, drinking or smoking and when leaving work place.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Provide adequate ventilation.

Storage conditions : Keep only in the original container in a cool, well-ventilated place. Do not expose to

temperatures exceeding 50 °C/ 122 °F.

Incompatible products : No additional information available.

Incompatible condition : Sources of ignition. Direct sunlight. Heat sources.

#### 7.3. Specific end use(s)

No additional information available

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

Personal protective equipment	ļ.	:
	<u> </u>	
	Į.	
	Į.	
Hand protection	<u>                                   </u>	Wear protect
OSHA	Not applicable	

# 8.2. Exposure controls

Appropriate engineering controls : Emergency eye wash fountains and safety showers should be available in the immediate

vicinity of any potential exposure. Provide adequate ventilation.

Eye protection : Chemical goggles or safety glasses.
Skin and body protection : Wear suitable protective clothing.

Respiratory protection : In case of insufficient ventilation wear appropriate respiratory protection.

Other information : Do not eat, drink or smoke during use.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Aerosol mist

09/09/2016 EN (English) SDS ID: 2015003 3/7

# Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Color : Light amber

Odor : Pungent, highly irritating

Odor threshold : No data available pH : No data available Relative evaporation rate (butyl acetate=1) : No data available Melting point : No data available Freezing point : No data available Boiling point : 109 °C (228 °F)

Flash point : 100 °C (212 °F) – Closed cup

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapor pressure : 60 psi (at 21 °C /70 °F)

Relative vapor density at 20 °C : 4.2 (Air=1)
Relative density : 1.15 (water=1)

Solubility : Completely soluble in water

Log Pow : No data available
Log Kow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

#### 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

Thermal decomposition generates: Carbon dioxide, carbon monoxide and hydrocarbons.

# 10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

Contains gas under pressure; may explode if heated.

# 10.3. Possibility of hazardous reactions

Hazardous polymerization may occur if exposure to fire conditions

# 10.4. Conditions to avoid

Direct sunlight. Extremely high temperatures. Heat. Open flame. Overheating.

# 10.5. Incompatible materials

No additional inforation available.

# 10.6. Hazardous decomposition products

Fume. Carbon monoxide. Carbon dioxide, hydrocarbons.

### **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

Acute toxicity : Not classified

Resins, oleo-, capsicum (8023-77-6)			
LC50 inhalation rat (mg/l)	> 10000 g/m³ (Exposure time:	4 h)	
Skin corrosion/irritation	: Causes skin irritation.		
	pH: 4 - 6		
Serious eye damage/irritation	: Causes serious eye irritation.		
	pH: 4 - 6		
09/09/2016	EN (English)	SDS ID: 2015003	4/7

# Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

Symptoms/injuries after inhalation : May cause respiratory irritation.

Symptoms/injuries after skin contact : Causes skin irritation.

Symptoms/injuries after eye contact : Causes serious eye irritation.

# **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecology- general : The product is not considered harmful to aquatic organisms or to cause long-term adverse

effects in the environment.

# 12.2. Persistence and degradability

10% PEPPER KEYGUARD	
Persistence and degradability	Not established.

### 12.3. Bioaccumulative potential

10% PEPPER KEYGUARD	
Bioaccumulative potential	Not established.

# 12.4. Mobility in soil

No additional information available

## 12.5. Other adverse effects

Effect on ozone layer : No additional information available Effect on the global warming : No additional information available

Other information : Avoid release to the environment.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Container under

pressure. Do not drill or burn even after use.

Ecology - waste materials : Avoid release to the environment.

# **SECTION 14: Transport information**

In accordance with DOT

Transport document description (ADR) : Consumer commodity

UN-No.(DOT) : ORM-D

Proper Shipping Name (DOT) : Consumer commodity

Hazard Classes (DOT) : Hazard labels (DOT) : None

DOT Packaging Exceptions (49 CFR 173.xxx) : 156, 306 DOT Packaging Non Bulk (49 CFR 173.xxx) : 156, 306

09/09/2016 EN (English) SDS ID: 2015003 5/7

# Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

DOT Packaging Bulk (49 CFR 173.xxx) : None DOT Quantity Limitations Passenger aircraft/rail : 30 kg

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : Forbidden

CFR 175.75)

**Additional information** 

Other information : No supplementary information available.

**ADR** 

No additional information available

Air transport

UN-No.(IATA) : 8000

Proper Shipping Name (IATA) : Consumer commodity

Class (IATA) : 9 - Miscellaneous Dangerous Goods

Transport by sea

UN-No.(IMDG) : 1950
Proper Shipping Name (IMDG) : AEROSOL

Class (IMDG) : 2.2 - Class 2.2 - Non-flammable, non-toxic gases

(each not exceeding 1 L capacity)

Hazard labels (IMDG) :

2

Excepted Quantity code (IMDG) : E0 (Not permitted as Excepted Quantity)

EMS : F-D, S-U

# **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

Resins, oleo-, capsicum (8023-77-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

# 15.2. International regulations

**CANADA** 

Resins, oleo-, capsicum (8023-77-6)

Listed on the Canadian DSL (Domestic Sustances List)

**EU-Regulations** 

Classification according to Regulation (EC) No. 1272/2008 [CLP]

No information available

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

No information available

15.2.2. National regulations

Resins, oleo-, capsicum (8023-77-6)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

### 15.3. US State regulations

09/09/2016 EN (English) SDS ID: 2015003 6/7

Safety Data Sheet according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

# **SECTION 16: Other information**

Revision date : 11/21/2016 Other information : None.

Indication of changes : Added models to listing

### Full text of H-phrases:

Compressed gas	Gases under pressure : Compressed gas
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Skin Irrit. 2	Skin corrosion/irritation Category 2
H280	Contains gas under pressure; may explode if heated
H315	Causes skin irritation
H319	Causes serious eye irritation

The information presented herein is believed to be correct but is not purported to be all inclusive and shall be used only as a guide. AMSPEC Chemical shall not be held liable for any damage resulting from handling or from contact with the above product.

09/09/2016 EN (English) SDS ID: 2015003 7/7