# **GLOSSARY**



# **Capacitive Touch Panel**

Clear glass display with swipe functionality that provides superior picture and touch panel control.



# Clear Resistive Touch Panel

A clear screen designed to reduce glare that includes a resistive touch sensor for accurate control during operation.



# Wireless Mirroring for Android

Solution for seamlessly displaying and controlling your smartphone apps on a screen without cables on select Android devices.



# **USB Mirroring**

USB Mirroring via USB for iPhone & Android, 2-way Touch



# Android USB Mirroring

Solution for seamlessly displaying and controlling your smartphone apps on a screen via a USB connection on select Android devices.



# Customizable Multi-Widget

Customize your Home Screen by selecting four shortcut/ information widgets. Widget options can include album art, clock, compass, photo frame, visualizer, weather, turnbyturn, Garmin navigation, and more.



# Music Mix

Up to 5 Bluetooth® devices can be paired to the head unit at the same time, you can enjoy audio streaming just by switching the devices with your friends or family.



# **Dual Phone Connection**

While you are connected through Bluetooth, with a touch of a button you can switch between two phones.



## Remote App

A smartphone application can control most basic functions of the receiver over the Bluetooth connection of the paired phone (iPhone or Android).



# Wireless Music Browsing (AVRCP 1.5 / 1.6)

Search and select songs from your music collection through a Bluetooth connection.



# Graphic EQ / Digital Time Alignment

13-Band equalizer and DTA gives optimal tuning enhancements for listener.



Drive EQ...

# Drive EQ

Boosts specific frequencies in the audio signal to overcome the negative impact of road noise.




# JVCKENWOOD USA Corporation


2201 E. Dominguez St. Long Beach, CA 90810-1009 P.O. Box 22745 Long Beach, CA 90801-5745 www.kenwood.com/usa











For Support and Technical Information please visit www.kenwood.com/cs/ce

# **FLAC Supported**

Compatible with various audio file formats from FLAC and WAV, to MP3, WMA and AAC.



# Dash Cam Link

Dash Camera (DRV-N520) can be controlled and viewed from the touch screen.



# 4 Camera Inputs

Optional camera connection method for up to 4 cameras in various configurations.



# 3 Camera Inputs

Optional camera connection method for up to 3 cameras in various configurations.



# Parking Guide Lines

Parking guide lines (requires installation of compatible backup camera) that enhance the effectiveness of a backup camera.



# 3 Years Map Care

KENWOOD offers 3 years map updates enabling you to keep up to date. Download the latest maps online to an SD card and insert to your navigation system.



# Lane Assist

Lane Assist guides you to the correct lane for an approaching turn or exit, making unfamiliar intersections and exits easy to navigate.



# **DUAL USB**

Multiple USB ports provide additional inputs for music sources or smartphone battery charging.



# Detachable USB

The USB cable can be disconnected from the back of the receiver for easier installation and service.



# **Short Chassis**

With receivers shorter in depth than any of our previous models, installation is made easier in a wider range of cars than ever before



# FRONT USB & AUX

Easy front panel connection for your compatible USB-enabled devices. These include iPhone, iPod devices as well as compatible Mass Storage Class devices like smartphones, USB thumb drives and portable hard drives.



# **Conformal Coating**

Improved moisture resistance of the circuit boards to prevent corrosion.





SPRING 2021









MOBILE ENTERTAINMENT ▼ DRIVER ASSISTANCE ▼ SAFETY

LIVE CONNECTED. DRIVE CONNECTED.

IMEDIA

RECEIVERS

ASHBOARD

CAMERAS



Apple CarPlay

Apple CarPlay™ is a safer way to use your iPhone in the car. Simply talk to Siri or touch the receiver's display to get

directions from Apple Maps, make phone calls, listen to voicemail, send and receive texts, and listen to music from Apple Music or your favorite 3rd party streaming services like Pandora and Spotify, all in a way that allows you to stay focused on the road. With the latest iOS version (iOS 12.0 and higher), 3rd party navigation apps like Google Maps and Waze are also supported. New KENWOOD Wi-Fi receivers now support Apple CarPlay wirelessly (compatible phone required).

maestro (iPhone | iPod)

# Vehicle Infotainment

(((SiriusXm))) pandora Spotify Hi-Res

# (idatatink



## iDatalink Maestro RR or RR2

When an Automotive Data Solutions iDatalink Maestro RR or RR2 (sold separately)\* is connected to a compatible KENWOOD receiver, it provides a seamless interface with factory infotainment features such as Satellite Radio, USB Media Player, Bluetooth hands-free and music streaming. Factory driver assistance systems and cameras are also retained and work as they did originally. Parking sensor display and dynamic parking guide lines are also added in supported vehicles on the rear camera screen. Vehicle information such as HVAC, performance information, and TPMS can also be displayed. Radar detector information can also be displayed on the screen when used with a compatible K40 or ESCORT\* radar detector system (sold separately). ESCORT compatible with Maestro RR2 only.

android

auto

(((SiriusXM))

Android Auto™ was designed with safety in mind, helping

you to minimize distractions and stay focused on the road.

KENWOOD's multimedia receivers combine an intuitive

- To use Android Auto on your car display, you'll need an Android Auto compatible vehicle or termarket stereo, an Android phone running Android 5.0 or higher, and the Android Auto app.

voice controlled interface with a large touch screen and superior sound quality,

making it the perfect complement for your in-car life. You can even listen to and

control music from your favorite streaming services like Pandora and Spotify.

Navigate to where you need to with Google Maps or Waze. New KENWOOD Wi-

Fi receivers also support Android Auto wirelessly (compatible phone required).



# **HD Camera Input**

The optional CMOS-740HD camera can be connected to the DMX1037S front or rear camera input, displaying the image in true 1280 x 720 (720P) High Definition.







DDX276BT/26BT Monitor with DVD Receiver 6.2" DVD Receiver







DMX125BT

Monitor with Receiver 6.8" Digital Multimedia



KENWOOD Dash Cams provide enhanced security for you and your vehicle, capturing every event in full HD or higher video quality. The DRV-N520 is controlled by a KENWOOD Dash Cam Ready receiver, allowing video captured by the camera and safety prompts to be displayed on the multimedia receiver screen.



Front & Rear Camera



with Wireless Link MSS 4K

C L E A R RESISTIVE TOUCH PANEL

# with Wireless Link

remove the device simply

and instantly. No cable

to connect or disconnect

DRV-A501WDP Front & Rear Camera

DRV-A301W Dashboard Camera

with Wireless Link

DRV-N520

Multimedia Capable

Dashboard Camera

Full HD DASH CAM LINK

CMOS-320

Multi-View Camera

Can be used as a Front or Rear

# Wireless Smartphone Link\*

DUAL PHONE

maestro iPhone | iPod

((SiriusXm)) pandora Spotify WiHeartRADIO

The KENWOOD DASH CAM MANAGER app allows you to easily change the menu settings of your dash cam and browse through recorded videos as well as real time live view from your smartphone in an intuitive way. By downloading the video / photo files into your smartphone, you can even review them while routing on Google

DDX376BT

6.2" DVD Receiver

Monitor with DVD Receiver

Maps™ with the GPS information such as speed, G-sensor and distance, and edit the videos to share them on social media Download the app from App Store (iOS) or Google Play (Android™) on your smartphone.

\*DRV-A series only



## from the dash cam. \*DRV-A series only

Parking Mode Recording\*

When the vehicle is parked and turned off, parking mode becomes active. If the vehicle is subject to a collision or other physical impact, the camera powers on and automatically records 30 seconds of video.

Quick Release Magnetic Mount\*

The patent-designed magnetic mount, unlike the traditional

mounts which use a latching mechanism, allows you to place and



CMOS-740HD

HD Front/Rear View Camera

CAX-HL10QI




CA-C3AV

Qi Wireless Charging Car Mount Mini-Jack to RCA Cable Adaptor

# 4 Camera Inputs\*

4x You can connect a front camera, a blind spot camera, a KENWOOD CAMERA INPUTS dashboard camera (DRV-N520 sold separately), and a rear camera. Other supported configurations include the connection of 2 blind spot cameras, a front camera, and a reverse camera. Camera switching is available using on screen controls, or automatically for side cameras when an optional iDatalink Maestro RR or RR2 is connected (supported vehicles only).



\*The KENWOOD CA-C3AV cable (sold separately) is required to use the 4th camera input

# Wireless Mirroring for Android




Solution for seamlessly displaying and controlling your smartphone apps on a screen without cables on select Android devices.



# Adjustable 3-way Display Position

Fully adjustable display allows you to change the depth, height and angle for easy vehicle fitment.







\* DMR10375 only \* Set-up the depth position before install the unit to panel. \* Tilt angle is adjustable after installation

# High-Resolution Audio

Hi-Res High-Resolution Audio is high-quality sound that exceeds the CD standard. With its increased detail the music takes on a new life, from the most delicate passage to the dynamics of ultra-high frequencies

and deep lows. You will feel as if you were in a concert hall.

AUDIO

600W

















**B**°

KFC-1613MRW

KFC-1613MRW/MRB

• Water-Resistant PP Cone

6-1/2" 2-way 2 Speaker

• UV Resistant Grille

KMR-M328BT

with Bluetooth & Conformal Coating

WIRELESS MUSIC FLAC SUPPORTED

**Digital Media Receiver** 

Motorcycle Bluetooth Camera

RF Remote Control

PEAK POWER 260W

• KFC-1653MRB

AK

BT///IPod//USB

Notorcycle Bluetooth Communication

KFC-1613MRB





- Water-Resistant PP Cone
- 2-way Speaker



KCA-RC35MR Wired Marine Remote Control

CA-EX7MR/3MR

Marine Remote Controller Extension Cable 7m / 3m

Speaker Level Input

Signal Sensing Turn-on

• Independent A/B Level

• (W)5-11/16" x (H)1-3/4" x

Signal Sensing Turn-on

• (W)6-1/2" x (H)1-3/4" x

(D)3-7/8"

RMS POWER

(D)3-7/8"

• (W)9" x (H)2-3/16" x (D)7-3/8"

400W



KFC-1653MRW/MRB PEAK POWER 150W RMS POWER 50W

KFC-1673MRWL

KFC-1673MRWL/BL

Water-Resistant PP Cone

RF Remote Control Included


KFC-1673MRBL

6-1/2" 2-way 2 Speaker with Illumination

Variable Color/Pattern Ilumination

6-1/2" 2-way 2 Speaker

• Water-Resistant PP Cone





8" 2-way 2 Speaker

• Water-Resistant PP Cone

KFC-2053MRW/MRB RMS POWER 100W



• KFC-2053MRW

RMS POWER



• (W)5-11/16" x (H)1-3/4" x

Speaker Level Input

(D)3-7/8" Signal Sensing Turn-on



KAC-M3001 Compact Mono Digital Amplifier

• Conformal Coating\*

Variable Low-Pass Filter

Speaker Level Input

# RMS POWER

### \* Conformal Coating: Do not install the unit in a spot exposed to direct sunlight o or humidity. Also avoid places with too much dust or the possibility of water spla



KMR-D772BT

WiHeartRADIO Qualcomm\*

Receiver Package + 6-1/2" Marine Speaker

KCA-RC55MR

with Display

CA-Y107MR

**Branch Cable** 

Wired Marine Remote Contro

Marine Remote Controlle

KAC-M8005

• Conformal Coating\*

KAC-M1814

• Conformal Coating\*

Speaker Level Input

• Signal Sensing Turn-on

KAC-M3004

• Conformal Coating\*

Speaker Level Input

Class D 5 Channel Marine Power Amplifier

• Variable High & Low-Pass Filter

Compact 4 Channel Digital Amplifier

Compact 4 Channel Digital Amplifie

Variable High & Low-Pass Filter

PKG-MR378BT

• 2-way Speaker

• Water-Resistant PP Cone

with Bluetooth & Conformal Coating

WIRELESS MUSIC

FLAC

((SiriusXM)) pandora Spotify

**CD-Receiver** 

CD Door



 IP67/IP66 Water & Dust Proof Selectable 7 EQ Presets

 Wired Remote Control Included • (W)7-13/16" x (H)1-7/8" x

(D)4-1/8" ReptX Quale











WIRELESS HUSIC FLAC

KDC-BT378U/BT34

CD-Receiver

with Bluetooth

KMM-BT228U

Digital Media Receiver

with Bluetooth

alexa built-in (((Sirjusxm)) | Radio pondora

3 PRE-OUTS

2.5V

Drive Color

alexa built-in (((SiriusXM)))

pandora Spotify






(Siriusxm)) H) Radio pandora Spotify









KDC-BT278U









alexa built-in



pandora Spotify

alexa built-in (((SiriusXm)))

2.5V

Drive Color



# Amazon Alexa Compatible

App Store

You can talk to Amazon Alexa on your KENWOOD Receivers. With Alexa Built-in, you can ask to play music, place calls, listen to audiobooks, hear the news, check the weather, control smart home devices, get directions, find parking, and more - all while you keep your hands on the wheel and eyes on the road.

DPX504BT


with Bluetooth

**Dual Din Sized CD Receiver** 

Using Alexa is simple - just install the Amazon Alexa companion app (free) on your iPhone or smartphone (AndroidTM) and press the Amazon Alexa key on the KENWOOD receiver, you can easily activate Alexa and get voice control.







Amazon, Alexa and all related logos are trademarks of Amazon.com, Inc. or its affiliates

RMS POWER 150W

PEAK POWER 360W

RMS POWER 81W

PEAK POWER 320W

PEAK POWER 220W

RMS POWER

KFC-6986PS/D691

6x9" Oval 4-way 4 Speaker

• Acoustic Sound Harmonize

• Mounting Depth 3-3/16"

KFC-C5796PS

Acoustic Sound Harmonize

• Mounting Depth 2-1/16"

• Frequency Response 64Hz - 24kHz

Sound Field Enhancer

• Frequency Response 60Hz -22kHz

5x7" Oval Custom Fit 2-way 2 Speaker

KFC-6966S

• Sound Field Enhancer

Mounting Depth 3"

KFC-C6866S

• Mounting Depth 2-3/8"

• Frequency Response 35Hz - 20kHz

• Frequency Response 40Hz - 22kHz

6x8" Oval Custom Fit 2-Way 2 Speaker

Sound Field Enhancer

**SPEAKERS** 

RMS POWER 140W

PEAK POWER 320W

RMS POWER 80W

PERFORMANCE SERIES AMPLIFIERS

PEAK POWER 250W

MAXIMUM POWER 1800W

2000W

KAC-9106D

KSC-PSW8

Wired remote controller

KFC-W3041

• PP X-motif Cone with

Diamond Array Pattern

12" Subwoofer

• Impedance  $4\Omega$ 

X-motif Cone

and solid bass response.

8" Compact Powered Subwoofer

• (W)13-3/4" x (H)2-15/16" x (D)9-7/16"

# Class D Mono Power Amplifier

- Variable Low-Pass Filter Bass Boost : 0dB to +18dB • Infrasonic Filter 20Hz-(40Hz)
  - 50Hz, -24dB/oct • Speaker Level Input
- KAC-D8105

Class D 5 Channel Power Amplifier

- Variable High & Bass Boost : 0dB to +18dB (40Hz) Signal Sensing Turn-on Low-Pass Filter • Speaker Level Input
- KAC-D5101 Class D Mono Power Amplifier
- Signal Sensing Turn-on
- Variable Low-Pass Filter • (W)13-3/16" x (H)2-3/16" x • Bass Boost: 0dB to +18dB

RMS POWER	MAX POWER
50W x 4 + 300W 4Ω 75W x 4 + 500W 2Ω 150W x 2 Bridged 4Ω	1600W

• (W)9" x (H)2-3/16" x (D)7-3/8"

PA-W801B

• Down-Firing Enclosure

• Strong Magnetic Circuit

Wired Level Control Included

# KAC-D3104

# Class D 4 Channel Power Amplifier

- Bass Boost : OdB to +18dB (40Hz) Bch
- Signal Sensing Turn-on x (D)7-3/8"

• Speaker Level Input

• Signal Sensing Turn-on

Variable High & Low-Pass Filter
 Speaker Level Input
 (W)6-11/16" x (H)2-3/16"

x (D)7-3/8"

RMS POWER

1000W

600W

PEAK POWER 900W

PEAK POWER 1300W

RMS POWER 300V

RMS POWER 3

• (W)6-11/16" x (H)2-3/16"

# P-W804B

# 8" Oversized Subwoofer in Ported Enclosure

MAX POWER 400W

RMS POWER

• (W)17-11/16" x (H)11-13/16" x(D) 5-7/8"

8" Powered Subwoofer in Ported Enclosure

# • Down-Firing Enclosure Strong Magnetic Circuit (W)17-11/16" x (H)11-13/16" x(D) 5-7/8"

# PEAK POWER 2000W

PEAK POWER 2000W

RMS POWER

KFC-W2541 10" Subwoofer

- PP X-motif Cone with **Diamond Array Pattern**
- Impedance  $4\Omega$

### • Frequency Response 33Hz - 300Hz • Mounting Depth 4-7/8"

# Thermal Management

Controls resonance frequency and cuts A multi-layered voice coil and aluminum bobbin provide unnecessary frequency, delivering powerful efficient heat transfer, while a closed yoke enhances heat radiation and airflow.



MAX POWER 250W

RMS POWER

• Frequency Response

• Mounting Depth 5-3/8"

29Hz - 300Hz



- Enclosure Impedance 2Ω
- Steel Mesh Grilles Included
- 35-3/4" x 15-13/16" x 15-13/16"



12" Preloaded Subwoofer Enclosure

Impedance 4Ω

P-W3041S

- Steel Mesh Grille Included
- 20-7/8" x 15-13/16" x 14-5/8'



# **Enhanced Down-Firing Structural Support**

Steel Mesh Grille

installed in a down firing application. This ensures the vibration (low frequency components) are transmitted without loss, resulting in more accurate, powerful bass.



# Slant Back Design

Easily fits behind the rear seat of an SUV and is more effective in suppressing standing waves that typically occur in a standard square enclosure.



# 3/4" Thick Baffle Board

Added MDF thickness provides more strength and steel mesh Grille(s) to protect the woofer(s).

CA-121G for KFC-W3041

CA-101G for KFC-W2541

CA-121G/CA-101G

Extra thick legs support the weight of the system when





durability, ensuring accurate bass even at high volume. To further enhance its durability, the enclosure is equipped with

# KFC-P710PS

6-1/2" Component Speaker

• Frequency Response 63Hz - 24kHz • Mounting Depth 2-3/16"

# KFC-P510PS

5-1/4" Component Speaker

• Frequency Response 63Hz - 24kHz • Mounting Depth 2-3/8"



PEAK POWER 330W

RMS POWER 100V

PEAK POWER 280W

RMS POWER

Sound Field Enhancer

Acoustic Sound Harmonize

• Mounting Depth 3-3/16"

KFC-C6896PS

• Sound Field Enhancer

Acoustic Sound Harmoniz

Mounting Depth 2-3/8"

• Sound Field Enhancer

Mounting Depth 1-7/8"

Sound Field Enhancer

Acoustic Sound Harmonize

• Frequency Response 58Hz - 24kHz

6-1/2" Round 2-way 2 Speaker

• Frequency Response 75Hz -24kHz

4" Round 2-way 2 Speaker

• Acoustic Sound Harmonize

KFC-1096PS/D101

• Frequency Response 114Hz -25kHz

/D681C

• Frequency Response 58Hz -22kHz

6x8" Oval Custom Fit 2-way 2 Speaker

KFC-1696PS/D161 RMS POWER 100V



KFC-6986PS



KFC-D691

# KFC-1796PS

6-3/4" Round 2-way 2 Speaker

- Sound Field Enhancer
- Acoustic Sound Harmonize
- Frequency Response 72Hz-24kHz • Mounting Depth 1-7/8"

# KFC-1396PS/D131 RMS POWER 75W

- 5-1/4" Round 2-way 2 Speaker Sound Field Enhancer
- Acoustic Sound Harmonize
- Frequency Response 80Hz -25kHz Mounting Depth 1-13/16"

# • Mounting Depth 1-11/16" Sports series speakers provide great sound and exceptional value



KFC-1666S

6-1/2" Round 2-way 2 Speaker

- Sound Field Enhancer
- Frequency Response 40Hz 22kHz
  - - KFC-1366S RMS POWER 30V
    - 5-1/4" Round 2-way 2 Speaker • Sound Field Enhancer

KFC-835C

3-1/2" Custom Fit Speaker

• Mounting Depth 1-1/2"

• Frequency Response 96Hz - 20kHz

- Frequency Response 45Hz 22kHz • Mounting Depth 1-3/4"

PEAK POWER 40W

RMS POWER 10W

KFC-1066S 4" Round 2-way 2 Speaker

• Mounting Depth 1-11/16"

- Sound Field Enhancer
- Frequency Response 50Hz 22kHz
- Mounting Depth 1-11/16"



PEAK POWER 60W KFC-4675C RMS POWER 20W

- Frequency Response 50Hz 25kHz
- Mounting Depth 1-5/8"
- 4x6" Custom Fit Speaker



KFC-C1656S

Mounting Depth 1-11/16"

KFC-C1356S

• Mounting Depth 1-11/16"

KFC-C1056S

Mounting Depth 1-11/16"

4" Round Dual Cone Speaker

• Frequency Response 50Hz - 18kHz

6-1/2" Round Dual Cone Speaker

5-1/4" Round Dual Cone Speaker

• Frequency Response 45Hz - 18kHz

• Frequency Response 40Hz - 18kHz

4x10" Custom Fit Speaker • Mounting Depth 2-7/16"

• Frequency Response 50Hz - 25kHz

KFC-415C RMS POWER 40W

PEAK POWER 260W

PEAK POWER 220W



KFC-ST01

PEAK POWER 160W RMS POWER 40W

• Frequency Response 5kHz - 25kHz

designed for specific and



Custom fit speakers and tweeters are

13/16" Component Tweeter



SERIES SPEAKERS

**TWEETERS**