

# Meira's-SPEC

COMPETITION RATED CAR AUDIO



The T-Spec goal is to bring innovation and value to every product in this revolutionary line of car audio accessories. T-Spec products feature high levels of engineering with the installer in mind while using only the finest materials available. This combination provides maximum performance in all price ranges.

The T-Spec product offering features 5 levels of value and performance:



Lower price with little compromise



Best mix of value and performance



High end without the high price



Top of the line our best products



Meets tough demands of Hi-RES audio components

**WARNING:** This catalog does not advise whether a State of California Proposition 65 warning is required for a particular item of merchandise. To learn whether a particular item of merchandise requires a California Proposition 65 warning, please be sure to look up and read the particular merchandise's listing on Metra's website www.MetraOnline.com, as well as read the particular merchandise's packaging. When a California Proposition 65 warning is present on Metra's website listing for the particular merchandise, or on the particular merchandise's packaging, a compliant California Proposition 65 warning is to be provided to the purchasing California consumer prior to the sale of the particular merchandise.

#### THE POWER OF **METRA'S FIT GUIDE** ANYTIME. ANYWHERE.



- Enables an easy search of all Metra products.
- Allows dealers and customers to browse and filter parts by vehicle specifics such as make, model, year and trim.
- Lets dealers quickly place orders for parts - no online payment needed, Metra does the rest.

#### Download it FREE



Scan for iOS App



Scan for Android™

#### **TSPEC**

RCA CABLES	4-9
BULK WIRE	10-13
BRASS ACCESSORIES	14-15
BATT TERMS, FUSE HOLDE	RS 16-17
DISTRIBUTION BLOCKS	18-22
CAPACITORS	24-25
AMP KITS	26-31
RING TERMINALS	<i>32</i>
FUSES	33
CIRCUIT BREAKERS	34
MERCHANDISING	35-37

## RCA AUDIO CABLES

#### **LOCKED & LOADED**

The V16 locking connectors create a solid, continuous pressure providing a secure and reliable connection with the highest quality signal transfer.

#### **QUALITY SOUND**

Large 26 gauge oxygen-free copper core strands handle the deepest bass frequencies while the higher frequencies skim along the silver-plated surface. This combination carries even the most demanding signals without altering or coloring, resulting in true audio reproduction.

#### FIGHT THE NOISE

Cables are continuously bombarded with electrical and magnetic pollution that rob music of its clarity by injecting noise into the signal. The VI6's three separate layers have been integrated to trap, isolate and reject both transmitted and electromagnetic pollution, allowing the signal to travel noise-free.

#### ARMOR TOUGH

Just as chain-mail protected ancient warriors from piercing blows, so does the woven cotton mesh protecting the V16 cables from environmental attacks that are sure to come.





#### RCA CABLE SPECS

GOLD PLATED COPPER RCA TIPS WITH CONTINUOUS LOCKING BARREL

ENAMEL PAINTED COLOR BANDS FOR DURABLE IDENTIFICATION

26AWG OXYGEN-FREE COPPER CORE FOR MAXIMUM BASS

SILVER PLATING FOR TRUE MIDRANGE & HIGH FREQUENCY FIDELITY

M-JACKET INSULATES EACH CHANNEL SEPARATELY

NON-CONDUCTIVE COTTON FILLER

POLYETHYLENE FOAM INSULATED JACKET


ALUMINUM-FACED MYLAR FOIL FOR EMI REJECTION


85% COVERAGE BRAIDED TINNED COPPER FOR EMITTED NOISE REJECTION

PVC OUTER JACKET FOR STRENGTH & FLEXIBILITY

WOVEN COTTON CABLE SHIELD









- > Gold plated copper RCA tips
- > Oxygen-free copper core
- > Silver plating for true frequency fidelity
- > M-jacket insulates each channel separately
- > PVC outer jacket for strength and stability
- > Packaged in high-end retail box

#### 2-CHANNEL

<b>1.5</b> FT	0.45 M	V16RCA-1-52
<b>3</b> FT	0.91 M	V16RCA-32
<b>6</b> FT	1.83 M	V16RCA-62
<b>10</b> FT	3.05 M	V16RCA-102
<b>17</b> FT	4.27 M	V16RCA-172
Y-1	1F-2M	V16RCA-Y1
Y-2	1M-2F	V16RCA-Y2

#### 4-CHANNEL

<b>17</b> FT	5.18 M	V16RCA-174
17	J.10 11	VIONOA I/T




- > Mini metal RCA ends
- > Full oxygen free copper
- > Twisted pair construction for noise reduction
- > High quality braided jacket
- > Packaged in high-end retail box

#### 2-CHANNEL

<b>1.5</b> FT	0.45 M	V12R1-5
<b>3</b> FT	0.91 M	V12R3
<b>6</b> FT	1.83 M	V12R6
<b>10</b> FT	3.05 M	V12R10
<b>14</b> FT	4.27 M	V12R14
<b>17</b> FT	5.18 M	V12R17
<b>20</b> FT	6.10 M	V12R20
Y-1	1F-2M	V12RY1
Y-2	1M-2F	V12RY2

#### 4-CHANNEL

17 CT	E 10 M	V/12D174
<b>17</b> FT	5.18 M	V12R1/4





- > Dual twist for improved noise rejection
- > Ultra-flexible PVC blended jacket
- > Patented high tolerance compact machined metal end
- > Quad split tip for maximum contact area
- > Made with BC-5W2 marine-grade cable
- > Packaged in high-end retail box

#### 2-CHANNEL

<b>1.5</b> FT	0.45 M	V10R1-5
<b>3</b> FT	0.91 M	V10R3
<b>6</b> FT	1.83 M	V10R6
<b>10</b> FT	3.05 M	V10R10
<b>14</b> FT	4.27 M	V10R14
<b>17</b> FT	5.18 M	V10R17
<b>20</b> FT	6.10 M	V10R20
Y-1	1F-2M	V10RY1
Y-2	1M-2F	V10RY2

#### 4-CHANNEL

**17** FT 5.18 M **V10R174** 

#### ► 6-CHANNEL

**17** FT 5.18 M **V10R176** 



- > True 75-ohm video cable
- > Ultra-flexible PVC blended jacket
- > Patented high tolerance compact machined metal end
- > Quad split tip for maximum contact area
- > Made with BC-5W2 marine-grade cable
- > Packaged in high-end retail box

#### SINGLE CHANNEL

<b>3</b> FT	0.91 M	V10R3V
<b>9</b> FT	2.74 M	V10R9V
<b>20</b> FT	6.10 M	V10R20V





- > Dual twist for improved noise rejection
- > Ultra-flexible PVC blended jacket
- > Patented high tolerance compact machined metal end
- > Quad split tip for maximum contact area
- > Made with BC-5W2 marine-grade cable
- > Packaged in high-end retail box



V10R35-6 **6** FT 1.83 M




- > Twisted wire design for increased noise rejection
- > Ultra-flexible PVC blended jacket
- > High tolerance compact molded ABS end
- > Dual split tip for maximum contact area
- > Packaged in high-end retail box

#### 2-CHANNEL

<b>1.5</b> FT	0.45 M	V8R1-5
<b>3</b> FT	0.91 M	V8R3
<b>6</b> FT	1.83 M	V8R6
<b>10</b> FT	3.05 M	V8R10
<b>14</b> FT	4.27 M	V8R14
<b>17</b> FT	5.18 M	V8R17
<b>20</b> FT	6.10 M	V8R20
Y-1	1F-2M	V8RY1
Y-2	1M-2F	V8RY2

#### 4-CHANNEL

**V8R174** 5.18 M **17** FT





- > Woven coaxial design for increased noise rejection
- > Ultra-flexible PVC blended jacket
- > High tolerance compact molded ABS end
- > Dual split tip for maximum contact area
- > Packaged in resealable retail polybag

2-CHANNE	EL.	10-PACK
<b>1.5</b> FT 0.45 M	V6R1-5	V6R1-5-10
<b>3</b> FT 0.91 M	V6R3	V6R3-10
<b>6</b> FT 1.83 M	V6R6	V6R6-10
<b>10</b> FT 3.05 M	V6R10	V6R10-10
<b>14</b> FT 4.27 M	V6R14	V6R14-10
<b>17</b> FT 5.18 M	V6R17	V6R17-10
<b>20</b> FT 6.10 M	V6R20	V6R20-10
<b>Y-1</b> 1F-2M	V6RY1	V6RY1-10
<b>Y-2</b> 1M-2F	V6RY2	V6RY2-10






- > True 75-ohm video cable
- > Ultra-flexible PVC blended jacket
- > High tolerance compact molded ABS end
- > Dual split tip for maximum contact area
- > Packaged in resealable retail polybag

#### **SINGLE-CHANNEL**

<b>3</b> FT	0.91 M	V6R3V
<b>6</b> FT	1.83 M	V6R6V
<b>9</b> FT	2.74 M	V6R9V
<b>12</b> FT	3.66 M	V6R12V
<b>17</b> FT	5.18 M	V6R17V
<b>20</b> FT	6.10 M	V6R20V





- > True 75-ohm video cable
- > Ultra-flexible PVC blended jacket
- > High tolerance compact molded ABS end
- > Dual split tip for maximum contact area
- > Packaged in resealable retail polybag

#### 2-CHANNEL WITH VIDEO

<b>3</b> FT	0.91 M	V6R3AV
<b>10</b> FT	3.05 M	V6R10AV
<b>17</b> FT	3.65 M	V6R17AV
<b>20</b> FT	6.10 M	V6R20AV

## **3.5MM** v6 Series RCA TO 3.5MM JACK

- > Double layer woven coaxial design for increased noise rejection
- > Ultra-flexible PVC blended jacket
- > High tolerance compact molded ABS end
- > Dual split tip for maximum contact area
- > Packaged in resealable retail polybag

#### 2-CHANNEL

<b>6</b> IN	.15 M	V6R35-6IN
<b>12</b> IN	.30 M	V6R35-12IN
<b>36</b> IN	.91 M	V6R35-36IN
<b>72</b> IN	1.83 M	V6R35-72IN

#### FEMALE TO FEMALE ADAPT NICKEL

- > Nickel plated
- > RCA barrel adapters
- > Female to female
- > 2 pack

#### **V6RCA-BFN**



#### **MALE TO MALE** ADAPT NICKEL

- > Nickel plated
- > RCA barrel adapters
- > Male to male
- > 2 pack

#### **V6RCA-BMN**



## SPOOLED BULK WIRE

The performance of your car audio system is only as good as its weakest link. Many wire companies today will have you believe that a cheap cable will save you money and get the job done, but the truth is that below-specification cables will rob current from your amplifier reducing power output by as much as 50%!!! T-SPEC has once again chosen to take the high road with a full line of ABOVE SPEC cables that exceed CEA and ANSI specifications for gauge size. V12 above-spec wire is an industry-first providing greater current capability for your stereo's sensitive electronics.







#### **INCLUDES:**

- ➤ (1) 6 ft. 1/0ga power cable with crimped and shrink wrapped ring terminals
- ➤ (2) 4 ft. 1/0ga ground cables with crimped and shrink wrapped ring terminals
- > (10) 3 inch zip ties
- > (3) 1/0ga ring terminals
- > (3) Shrink tube with logo
- > (10) Wire clamps
- > (10) 1/2 inch self-tapping screws
- > (1) Instructions

#### **V12-BIG3**





- > Exceeds CEA and ANSI specification for wire gauge
- > Full virgin copper construction
- > High strand count for maximum flexibility
- > Ultra-flexible PVC blended jacket
- > BC-5W2 marine compliant

#### 1/0 AWG

<b>50</b> FT	15.24 M	MATTE RED	V12PW-1050
<b>50</b> FT	15.24 M	MATTE BLACK	V12GW-1050

#### ► 4 AWG

<b>100</b> FT 30.48 M	MATTE RED	V12PW-4100
<b>100</b> FT 30.48 M	MATTE BLACK	V12GW-4100

#### B AWG

<b>250</b> FT 76.20 M	MATTE RED	V12PW-8250
<b>250</b> FT 76.20 M	MATTE BLACK	V12GW-8250





#### IMPROVED



- > Meets CEA and ANSI specification for wire gauge
- > Fully tinned virgin copper construction
- > High strand count for maximum flexibility
- > Ultra-flexible PVC blended jacket
- > BC-5W2 marine compliant

#### 1/0 AWG

<b>50</b> FT	15.24 M	MATTE PEARL	V10PW-1050
<b>50</b> FT	15.24 M	MATTE BLACK	V10GW-1050
<b>50</b> FT	15.24 M	MATTE RED	V10PW-1RD50

#### 4 AWG

100 FT	30.48 M	MATTE PEARL	V10PW-4100
<b>100</b> FT	30.48 M	MATTE BLACK	V10GW-4100
<b>100</b> FT	30.48 M	MATTE RED	V10PW-4RD100

#### 8 AWG

<b>250</b> FT	76.20 M	MATTE PEARL	V10PW-8250
<b>250</b> FT	76.20 M	MATTE BLACK	V10GW-8250
<b>250</b> FT	76.20 M	MATTE RED	V10PW-8RD250



### SPEAKER WIRE V10 SERIES SPOOLS

- > Meets CEA and ANSI specification for wire gauge
- > Fully tinned virgin copper construction
- > High strand count for maximum flexibility
- > Ultra-flexible PVC blended jacket
- > BC-5W2 marine compliant

#### 12 AWG

<b>125</b> FT	38.10 M	BLACK	V10SW12125-BK
125 FT	38.10 M	WHT/BLK	V10SW12125-WB

#### **16 AWG**

<b>250</b> F	T 76.20 M	BLACK	V10SW16250-BK
<b>500</b> F	T 152.4 M	BLACK	V10SW16500-BK
<b>250</b> F	T 76.20 M	WHT/BLK	V10SW16250-WB
500 F	T 152.4 M	WHT/BLK	V10SW16500-WB





- > Full virgin copper construction
- > High strand count for maximum flexibility
- > Ultra-flexible PVC blended jacket
- > BC-5W2 marine compliant

#### 1/0 AWG

<b>50</b> FT	15.24 M	SOLID BLUE	V8GT10B-50
<b>50</b> FT	15.24 M	SOLID BLACK	V8GT10BK-50
<b>50</b> FT	15.24 M	SOLID RED	V8GT10RD-50

#### 4 AWG

<b>100</b> FT	30.48 M	SOLID BLUE	V8GT4B-100
<b>100</b> FT	30.48 M	SOLID BLACK	V8GT4BK-100
<b>100</b> FT	30.48 M	SOLID RED	V8GT4R-100

#### 8 AWG

<b>250</b> FT	76.20 M	SOLID BLUE	V8GT8B-250
<b>250</b> FT	76.20 M	SOLID BLACK	V8GT8BK-250
<b>250</b> FT	76.20 M	SOLID RED	V8GT8R-250

## PREMIUM BRASS ACCESSORIES

T-SPEC's premium brass accessories are engineered to simplify and streamline any installation with aesthetics that look as good as they perform. These ground breaking designs maximize functionality while maintaining the smallest footprint possible for installation into the tightest of spaces.

T-SPEC's revolutionary fuse block is the all-in-one solution, capable of mounting a single ANL fuse, single MANL fuse, or even dual MANL fuses. With a discrete footprint, the 3-way fused distribution block and 2-to-1 grounding block ensure a solid power transfer to all components for multiple amplifier systems. The 4-position battery terminal is the most versatile solution yet. It can accept up to (2) 1/0 AWG and (2) 4 AWG, down to (4) 10 AWG wires, and includes all of the markers and hardware that are used for a positive or negative post. T-SPEC is proud to use 100% brass for optimal conductivity with nickel plating for durability and longevity in all 4 of these premium components.



#### ANL

#### 1/0 AWG COMPACT FUSE HOLDER

- > Accepts 1 ANL or single/dual MANL fuses
- > 1/0 AWG 8 AWG In/Out
- > Compact design for simpler installation
- > Solid brass construction for maximum conductivity
- > Nickel finish for durability
- > Cover included

#### V-ANL-H





#### MANL

#### 3-POSITION DISTRIBUTION BLOCK

- > Independently MANL fused outputs
- > (1) 1/0 AWG 8 AWG In
- > (3) 4 AWG 10 AWG Out
- > Compact design for simpler installation
- > Solid brass construction for maximum conductivity
- Nickel finish for durability
- > Cover included

#### **V-DIST-PWR**

#### **BATTERY TERMINAL** 3-POSITION DISTRIBUTION BLOCK

- > (2) 1/0 AWG 10 AWG plus (2) 4 AWG 10 AWG In
- > Compact design for simpler installation
- > Solid brass construction for maximum conductivity
- > Nickel finish for durability
- > Positive and negative marker plates included
- > Negative post sleeve included

#### V-BATT-TML



#### **GROUND** 2-POSITION DISTRIBUTION

- > (2) 4 AWG 10 AWG In
- > (1) 1/0 AWG 8 AWG Out
- > Compact design for simpler installation
- > Solid brass construction for maximum conductivity
- > Nickel finish for durability
- > Cover included

#### **V-DIST-GND**



## BATTERY

Today's cars are smaller and the space under the hood is also at a premium. There's no longer unlimited room for large battery terminals and complex wiring. T-SPEC recognizes this and has responded with a full line of compact brass battery terminals designed to fit where others simply will not. The new Add-a-Post system creates an additional battery post to retain the sophisticated fused battery terminal found in modern vehicles. These universal terminals are constructed from solid brass for maximum conductivity and feature the easy installation, single tool T20 screws.



## *FUSE* HOLDERS

Fusing an aftermarket car stereo system provides protection for tour car and your car stereo. No fuse system provides better protection than T-SPEC The T-SPEC compact brass designs are constructed from solid brass and are smaller than anything else in the industry. With the new one tool T20 Torx® screws and 360 degree rotatable base, installation has never been faster, easier, and more reliable.











#### BATTERY TERMINAL

#### 1/0-10 AWG 8-POSITION

- > Add-a-Post system for retention of the factory terminal connector
- > (4) 4/8/10 AWG outputs (set screw)
- > (4) 1/0-10 AWG outputs (ring terminal)
- > For positive or negative battery post use (adapter sleeve included)
- > Includes (1) positive and (1) negative bolt-on post for retaining factory vehicle terminal
- > Solid brass construction
- > Black nickel finish
- > T20 Torx® screws
- > Gate Lock technology

#### **VBTPN**

#### **GM POST**

#### STANDARD & EXTENDED BATTERY TERMINAL

- > Standard length battery post terminal
- > For GM side post style batteries
- > Solid brass construction

**VGMS** Standard length **VGML** Extended length



#### ANL 1/0-4 AWG FUSE HOLDER

> Water-resistant

**VANL** 

ANL

HOLDER

VANL1

- > 360 Rotatable base mount
- > TPE wrapped soft touch

#### **MANL** 4/8 AWG FUSE HOLDER

- > Water-resistant
- > Solid brass construction

### > Black nickel finish





1/0-4 AWG FUSE HOLDER

- > Solid brass construction
- > Black nickel finish



**AGU** 4/8 AWG FUSE HOLDER

- > Water-resistant
- > T20 Torx® screws
- > Gate Lock technology

#### **VAGU** VAGU-10 10 pack



- > T20 Torx® screws
- > Gate Lock technology

> Dual sizes gasket set

> TPE wrapped soft touch

1/0-4 AWG FUSE

**VMANL1** 

**VDMANL** 

## COMPACT DISTRIBUTION

Your high-end amplifiers deserve every ounce of power that your car's electrical system can deliver. That's why multi-amp systems require high quality power and ground distribution systems. T-SPEC's all brass construction provides maximum current flow to your sensitive amplifiers. The compact brass design is a fraction of the size of traditional distribution blocks ensuring hassle free installation. The new T20 Torx® screw across the line ensures ease of installation with a single tool. Redesigned with a new high-tech appearance and black nickel finish, these distribution blocks look as good as they preform!







#### **MANL**

#### 2-POSITION DISTRIBUTION BLOCK

- > (1) 1/0-4 AWG in/(2) 4/8 AWG out
- > TPE wrapped soft touch
- > Dual sizes gasket set
- > Water-resistant
- > Solid brass construction
- > Black nickel finish
- > T20 Torx® screws



#### MANL

#### 4-POSITION DISTRIBUTION BLOCK

- > (1) 1/0-4 AWG in/(4) 4/8 AWG out
- > TPE wrapped soft touch
- > Dual sizes gasket set
- > Water-resistant
- > Solid brass construction
- > Black nickel finish
- > T20 Torx® screws
- > Gate Lock technology



#### MANL

#### 2-POSITION ALL-IN-ONE DISTRIBUTION BLOCK

- > (2 positive) 1/0-4 AWG in/(2 positive) 4/8 AWG out (1 negative) 1/0-4 AWG in/(2 negative) 4/8 AWG out
- > TPE wrapped soft touch
- > Dual sizes gasket set
- > Water-resistant
- > Solid brass construction
- > Black nickel finish
- > T20 Torx® screws
- > Gate Lock technology





#### MANL

#### 4-POSITION ALL-IN-ONE DISTRIBUTION BLOCK

- > (2 positive) 1/0-4 AWG in/(4 positive) 4/8 AWG out (1 negative) 1/0-4 AWG in/(4 negative) 4/8 AWG out
- > TPE wrapped soft touch
- > Dual sizes gasket set
- > Water-resistant
- > Solid brass construction
- > Black nickel finish
- > T20 Torx® screws
- > Gate Lock technology

**VPNB4** 

## POWER & GROUND DISTRIBUTION BLOCKS

#### **BENEFITS**

TSPEC's VBDB4 is a unique distribution block that combines the most practical, sophisticated features in its class with the highest performance on the market to unleash the full power of a car audio system. This 4-way power ground remote distribution block has dual 0/1 ground inputs to match the dual 0/1 positive inputs.

#### T20 TORX® SCREWS WITH GATE-LOCK TECHNOLOGY

Gate Lock technology allows for a secure connection without the need for reducer rings. The hardware uses T-SPEC's T20 Torx® screws for every screw on the distribution block making them an easy one-tool installation.

#### 4 MATED OUTPUT SETS

For quick identification and pristine installation appearance, 4 mated outputs group the remote, 4ga power, and 4ga ground together.

#### BLOWN FUSE INDICATOR

Spend less time guessing which fuse to replace! A Blown Fuse Indicator (BFI) LED light for each circuit indicates which fuse has blown so that no time is lost trying to identify which one to replace.

VBDB4

## 7-SPEC® COMPETITION RATED CAR AUDIO

#### PREMIUM MATERIALS AND FINISH

Premium construction and materials allow for a highly conductive block with 5mm thick solid brass bus bars and a satin gunmetal finish. A TPE wrapped soft-touch cover is the perfect match to T-SPEC's other car audio components, giving a photo-worthy finished product.

#### RAPID REPLACEMENT SPARE MANL FUSES


3 rapid replacement spare MANL fuse locations built into the case make replacement simple and easy. The dual 0/1 positive inputs.


### INTEGRATED REMOTE DISTRIBUTION

The VBDB4 can turn mice into men with the remote booster PCB. This hidden circuitry converts the traditionally low current remote input into a 4-amp high current that is distributed across all 4 outputs for a truly unique integrated remote distribution.

#### VBDB4 ► NEW DUAL INPUT 4-WAY POWER DISTRIBUTION BLOCK

T-SPEC's VBDB4 is a unique distribution block that combines the most practical, sophisticated features in its class with the highest performance on the market to unleash the full power of a car audio system. Premium construction and materials allow for a highly conductive block with 5mm thick solid brass bus bars and a satin gunmetal finish, with dual 0/1 ground inputs to match the dual 0/1 positive inputs. This block also has a built-in amplification relay for boosting the current rating of the amplifier turn-on wire, distributing it across all 4 outputs. The 4 mated outputs group remote, 4ga power, and 4ga ground together for quick identification, and an anti-short sub-cover isolates the returning ground bar and terminals. A Blown Fuse Indicator (BFI) LED light for each circuit indicates which fuse to replace and 3 rapid replacement spare MANL fuse locations built into





- Dual 0/1 AWG positive in
- Dual 0/1 AWG negative in
- (4) Mated 4 AWG output sets with remote distribution
- Built-in amplification relay for boosting the current rating of the amplifier turn-on wire, distributing it across all 4 outputs

- Anti-short sub-cover to isolate the ground bar and terminals
- (4) Independently MANL fused positive circuits
- Blown Fuse Indicator (BFI) LED for each circuit
- (3) Rapid replacement spare MANL fuse locations built inside the case
- One tool for hardware installation using T-SPEC T20 Torx® screws with Gate Lock technology
- Satin gunmetal finished 5mm brass bus bars for power and ground distribution
- TPE wrapped soft-touch cover with modern aesthetics



#### BLOCK

#### 2-POSITION DISTRIBUTION

- > (1) 1/0-4 AWG in/(2) 1/0-4 AWG out
- > TPE wrapped soft touch
- > Dual sizes gasket set
- > Water-resistant
- > Solid brass construction
- > Black nickel finish
- > T20 Torx® screws
- ➤ Gate Lock technology

#### VDB1

#### BLOCK

#### 2-POSITION DISTRIBUTION

- > (1) 1/0-4 AWG in/(2) 4/8 AWG out
- > TPE wrapped soft touch
- > Dual sizes gasket set
- > Water-resistant
- > Solid brass construction
- > Black nickel finish
- > T20 Torx® screws
- ➤ Gate Lock technology

#### VDB2

#### BLOCK

#### 4-POSITION DISTRIBUTION

- > (1) 1/0-4 AWG in/(4) 4/8 AWG out
- > TPE wrapped soft touch
- > Dual sizes gasket set
- > Water-resistant
- > Solid brass construction
- > Black nickel finish
- > T20 Torx® screws
- > Gate Lock technology

#### VDB4

## AT YOUR FINGERTIPS



www.facebook.com/MetraElectronics



www.twitter.com/MetraElectronic



www.youtube.com/user/MetraElectronics



www.instagram.com/MetraElectronics



Order Anytime Day or Night at www.MetraDealer.com



Download all our New Catalogs at www.MetraOnline.com



- NEW PRODUCTS
- INSTRUCTION VIDEOS





SHARE YOUR PROJECT PHOTOS WITH US
FOR A CHANCE TO BE FEATURED ON OUR SOCIAL MEDIA.
TAG @HEISELED AND @METRAELECTRONICS IN YOUR POSTS!

## POWER CAPACITORS

The strength of a vehicle's electrical system is often overlooked when upgrading your car's stereo system with power amplifiers and additional speakers. The truth is, these additions can provide additional stress on your alternator or battery resulting in diminished performance from the audio system. The simple addition of a T-SPEC capacitor will improve electrical system performance by providing a buffer between the alternator and amplifier. Stored energy from your car's electrical system is held in the cap and quickly released to the amplifier when needed. T-SPEC capacitors offer the lowest ESR in the business allowing the cap to charge and release its energy quicker.









- > Distribution top for easy installation
- > Voltage meter to monitor electrical system performance
- > Simple mounting system
- > Impact resistant polycarbonate cover

#### V8-3DDC



- > Voltage meter to monitor electrical system performance
- > Simple mounting system
- > Impact resistant polycarbonate cover

**V6-1-5DDC** 

### AMP KITS

In a "one size fits all" world it's rare to see a company provide a wide range of options. The team at T-SPEC understands how difficult it can be to find just the right product for your application. That's why the T-SPEC amp kit line features 28 different models to cover nearly every price, power and performance level imaginable! T-SPEC amp kits utilize the finest materials to ensure maximum performance and hassle-free installation.

#### POWERSPORTS & MARINE AMP KITS

More and more systems are being installed into boats and powersports vehicles like ATV's. These T-SPEC kits are designed specifically for that purpose. Each kit provides full CEA spec BC-5W2 marine compliant cable and circuit breaker protection to eliminate short circuits and will offer an easy re-set to get going again. No need to carry miscellaneous fuses in case of a problem.





- > Exceeds CEA and ANSI specification for wire gauge
- > Full virgin copper construction
- > High strand count for maximum flexibility
- > BC-5W2 marine compliant RCA, speaker, power and ground wire
- > Compact brass fusing and distribution





- > 17' V12 1/0 AWG OFC matte red multi-strand power wire
- > 3' V12 1/0 AWG OFC matte black multi-strand ground wire
- > 17' 18 AWG OFC blue remote turn-on wire
- > 17' V12 noise rejecting twisted RCA cable with precision machined ends and quad-split tip
- > Compact brass ANL fuse holder with 300A fuse
- > Nickel plated 1/0 AWG seamed crimp ring terminal with 8.5mm hole and silver boot connected at battery end and black boot connected at ground
- > 1/0 AWG spade terminals with silver and black boots for amp connection
- > Miscellaneous connectors, terminals and wire ties

#### V12-AK1





- > 17' V12 4 AWG OFC matte red multi-strand power wire
- > 3' V12 4 AWG OFC matte black multi-strand ground wire
- > 17' 18 AWG OFC blue remote turn-on wire
- > 17' V12 noise rejecting twisted RCA cable with precision machined ends and quad-split tip
- > Compact brass MINI ANL fuse holder with 150A fuse
- > Nickel plated 4 AWG seamed crimp ring terminal with 8.5mm hole and black boot connected at battery and black boot connected at ground
- > 4 AWG spade terminals with silver and black boots for amp connection
- > Miscellaneous connectors, terminals and wire ties

#### V12-AK4





- > 17' V12 8 AWG OFC matte red multi-strand power wire
- > 3' V12 8 AWG OFC matte black multi-strand ground wire
- > 17' 18 AWG OFC blue remote turn-on wire
- > 17' V12 noise rejecting twisted RCA cable with precision machined ends and quad-split tip
- > Compact brass MINI ANL fuse holder with 60A fuse
- > Nickel plated 8 AWG seamed crimp ring terminal with 8.5mm hole and black boot connected at battery end and black boot connected at ground
- > 4 AWG spade terminals with silver and black boots for amp connection
- > Miscellaneous connectors, terminals and wire ties

#### **V12-AK8**



- > Meets CEA and ANSI specification for wire gauge
- > Full virgin copper construction
- > Fully tinned wire
- > High strand count for maximum flexibility
- > BC-5W2 marine compliant RCA, speaker, power and ground wire
- > Compact brass fusing and distribution





- > 17' V10 1/0 AWG full tinned OFC pearl multi-strand power wire
- > 3' V10 1/0 AWG full tinned OFC black multi-strand ground wire
- > 17' 18 AWG full tinned OFC blue remote turn-on wire
- > 17' V10 noise rejecting dual-twist RCA cable with precision machined ends and quad-split tip
- > Compact brass ANL fuse holder with 250A fuse
- Nickel plated 1/0 AWG seamed crimp ring terminal with 8.5mm hole and silver boot connected at battery end and grey boot connected at ground
- > 1/0 AWG spade terminals with silver and black boots for amp connection
- > Miscellaneous connectors, terminals and wire ties

#### V10-AK1





- > 17' V10 4 AWG full tinned OFC pearl multi-strand power wire
- > 3' V10 4 AWG full tinned OFC black multi-strand ground wire
- > 17' 18 AWG full tinned OFC blue remote turn-on wire
- > 17' V10 noise rejecting dual-twist RCA cable with precision machined ends and quad-split tip
- > Compact brass ANL fuse holder with 125A fuse
- Nickel plated 4 AWG seamed crimp ring terminal with 8.5mm hole and silver boot connected at battery end and grey boot connected at ground
- > 4 AWG spade terminals with silver and black boots for amp connection
- > Miscellaneous connectors, terminals and wire ties

#### V10-AK4





- > 17' V10 8 AWG full tinned OFC pearl multi-strand power wire
- > 3' V10 8 AWG full tinned OFC black multi-strand ground wire
- > 17' 18 AWG full tinned OFC blue remote turn-on wire
- > 17' V10 noise rejecting dual-twist RCA cable with precision machined ends and quad-split tip
- > Compact brass ANL fuse holder with 50A fuse
- Nickel plated 4 AWG seamed crimp ring terminal with 8.5mm hole and silver boot connected at battery end and grey boot connected at ground
- > 8 AWG spade terminals with silver and black boots for amp connection
- Miscellaneous connectors, terminals and wire ties

V10-AK8



- > V8GT power and ground wire
- > Full virgin copper construction
- > High strand count for maximum flexibility
- > BC-5W2 marine compliant RCA, speaker, power and ground wire
- > Compact brass fusing and distribution





- > 17' V8GT 1/0 AWG OFC red multi-strand power wire
- > 3' V8GT 1/0 AWG OFC black multi-strand ground wire
- > 17' 18 AWG OFC blue remote turn-on wire
- > 17' V8 noise rejecting twisted RCA cable with precision molded ends and split tip
- > ANL fuse holder with 200A fuse
- > Nickel plated 1/0 AWG seamed crimp ring terminal with 8.5mm hole and silver boot connected at battery end and black boot connected at ground
- > 1/0 AWG spade terminals with silver and black boots for amp connection
- > Miscellaneous connectors, terminals and wire ties

#### **V8-AK1**





- > 17' V8GT 4 AWG OFC red multi-strand power wire
- > 3' V8GT 4 AWG OFC black multi-strand ground wire
- > 17' 18 AWG OFC blue remote turn-on wire
- > 17' V8 noise rejecting twisted RCA cable with precision molded ends and split tip
- > MINI ANL fuse holder with 100A fuse
- > Nickel plated 4 AWG seamed crimp ring terminal with 8.5mm hole and silver boot connected at battery end and black boot connected at ground
- > 4 AWG spade terminals with silver and black boots for amp connection
- > Miscellaneous connectors, terminals and wire ties

#### **V8-AK4**





- > 17' V8GT 8 AWG OFC red multi-strand power wire
- > 3' V8GT 8 AWG OFC black multi-strand ground wire
- > 17' 18 AWG OFC blue remote turn-on wire
- > 17' V8 noise rejecting twisted RCA cable with precision molded ends and split tip
- > MINI ANL fuse holder with 40A fuse
- > Nickel plated 8 AWG seamed crimp ring terminal with 8.5mm hole and silver boot connected at battery end and black boot connected at ground
- > 8 AWG spade terminals with silver and black boots for amp connection
- > Miscellaneous connectors, terminals and wire ties

#### **V8-AK8**



- > Meets CEA and ANSI specification for wire gauge
- > Full virgin copper construction
- > High strand count for maximum flexibility
- > BC-5W2 marine compliant RCA, speaker, power and ground wire
- > Compact brass fusing and distribution





- > 17' V6 1/0 AWG CCA multi-strand power wire
- > 3' V6 1/0 AWG CCA multi-strand ground wire
- > 17' 18 CCA blue remote turn-on wire
- > 17' V6 noise rejecting woven coaxial RCA cable with precision molded ends and split tip
- > ANL fuse holder with 150A fuse
- Nickel plated 1/0 AWG seamed crimp ring terminal with 8.5mm hole and red boot connected at battery end and black boot connected at ground
- > 1/0 AWG spade terminals with red and black boots for amp connection
- > Miscellaneous connectors, terminals and wire ties

#### **V6-RAK1-0**





- > 17' V6 4 AWG CCA multi-strand power wire
- > 3' V6 4 AWG CCA multi-strand ground wire
- > 17' 18 CCA blue remote turn-on wire
- > 17' V6 noise rejecting woven coaxial RCA cable with precision molded ends and split tip
- > ANL fuse holder with 60A fuse
- Nickel plated 4 AWG seamed crimp ring terminal with 8.5mm hole and red boot connected at battery end and black boot connected at ground
- 4 AWG spade terminals with red and black boots for amp connection
- > Miscellaneous connectors, terminals and wire ties

#### V6-RAK4





- > 17' V6 8 AWG CCA multi-strand power wire
- > 3' V6 8 AWG CCA multi-strand ground wire
- > 17' 18 CCA blue remote turn-on wire
- > 17' V6 noise rejecting woven coaxial RCA cable with precision molded ends and split tip
- > MINI ANL fuse holder with 30A fuse
- Nickel plated 8 AWG seamed crimp ring terminal with 8.5mm hole and red boot connected at battery end and black boot connected at ground
- > 8 AWG spade terminals with red and black boots for amp connection
- > Miscellaneous connectors, terminals and wire ties

#### V6-RAK8





- > Designed specifically for amplifier installation in boats and powersports vehicles
- > Each kit provides full CEA spec BC-5W2 marine compliant cable
- > Each kit provides circuit breaker protection to eliminate short circuits
- > Offers easy reset to get going again
- > Fully tinned OFC wire
- > No need to carry miscellaneous fuses in case of a problem





- > 4 AWG pearl white fully tinned OFC wire
- > 4 AWG black fully tinned OFC wire
- > 20' blue fully tinned OFC
- > (1) 100 amp circuit breaker
- > (1) 4 AWG ring terminal with white boot
- > (1) 4 AWG ring terminal with silver boot
- > (10) 6" wire ties
- > Assorted accessories

**20** FT 6.10 M **FULL TIN** V10-2041 **10** FT 3.05 M **FULL TIN** V10-1041



- > Designed specifically for amplifier installation in boats and power sports vehicles
- > Each kit provides full CEA spec BC-5W2 marine compliant cable
- > Use to add more than one amplifier to any system
- > Fully tinned OFC wire





- > (1) 10' 4ga pearl white fully tinned OFC wire
- > (1) 10' 4ga black fully tinned OFC wire
- > (2) compact brass distribution blocks
- > (1) hardware pack
- > 20' blue fully tinned OFC

V10-D104K **10** FT 3.05 M **FULL TIN** 









#### HEAVY DUTY SET SCREW

1/0 AWG 2 PACK **VR04 VR48 4** AWG 2 PACK



#### RING TERMINALS - 5-PACK

<b>1/0</b> AWG	<b>1/4"</b> CRIMP	5 PACK (3 RED & 2 BLACK)	V8-RTN1
<b>1/0</b> AWG	<b>5/16"</b> CRIMP	5 PACK (3 RED & 2 BLACK)	V8-RTN2
<b>1/0</b> AWG	<b>3/8"</b> CRIMP	5 PACK (3 RED & 2 BLACK)	V8-RTN3
<b>4</b> AWG	<b>1/4"</b> CRIMP	5 PACK (3 RED & 2 BLACK)	V8-RTN8
<b>4</b> AWG	<b>5/16"</b> CRIMP	5 PACK (3 RED & 2 BLACK)	V8-RTN9
<b>4</b> AWG	<b>3/8"</b> CRIMP	5 PACK (3 RED & 2 BLACK)	V8-RTN10
8 AWG	<b>5/16"</b> CRIMP	5 PACK (3 RED & 2 BLACK)	V8-RTN18
8 AWG	<b>3/8"</b> CRIMP	5 PACK (3 RED & 2 BLACK)	V8-RTN19

#### RING TERMINALS - 20-PACK

<b>1/0</b> AWG	<b>1/4"</b> CRIMP	20 PACK (10 RED & 10 BLACK) V8-RTN1-20
<b>1/0</b> AWG	<b>5/16"</b> CRIMP	20 PACK (10 RED & 10 BLACK) <b>V8-RTN2-20</b>
<b>1/0</b> AWG	<b>3/8"</b> CRIMP	<b>20</b> PACK (10 RED & 10 BLACK) <b>V8-RTN3-20</b>
4 AWG	<b>1/4"</b> CRIMP	<b>20</b> PACK (10 RED & 10 BLACK) <b>V8-RTN8-20</b>
4 AWG	<b>5/16"</b> CRIMP	<b>20</b> PACK (10 RED & 10 BLACK) <b>V8-RTN9-20</b>
4 AWG	<b>3/8"</b> CRIMP	<b>20</b> PACK (10 RED & 10 BLACK) <b>V8-RTN10-20</b>
8 AWG	<b>5/16"</b> CRIMP	20 PACK (10 RED & 10 BLACK) V8-RTN18-20
8 AWG	<b>3/8"</b> CRIMP	20 PACK (10 RED & 10 BLACK) <b>V8-RTN19-20</b>

#### SPADE TERMINALS - 5-PACK

4 AWG	<b>1/4"</b> CRIMP	<b>5</b> PACK (3 RED & 2 BLACK)	V8-ST1
8 AWG	<b>1/4"</b> CRIMP	<b>5</b> PACK (3 RED & 2 BLACK)	V8-ST2
8 AWG	#10 CRIMP	5 PACK (3 RED & 2 BLACK)	V8-ST3

#### SPADE TERMINALS - 20-PACK

<b>4</b> AWG	<b>1/4"</b> CRIMP	<b>20</b> PACK (10 RED & 10 BLACK)	V8-ST1-20
8 AWG	<b>1/4"</b> CRIMP	<b>20</b> PACK (10 RED & 10 BLACK)	V8-ST2-20
8 AWG	<b>#10</b> CRIMP	<b>20</b> PACK (10 RED & 10 BLACK)	V8-ST3-20





		2-PACK	10-PACK
<b>80</b> AMP	ANL	V8-ANL80	V8-ANL80-10
<b>100</b> AMP	ANL	V8-ANL100	V8-ANL100-10
<b>150</b> AMP	ANL	V8-ANL150	V8-ANL150-10
<b>200</b> AMP	ANL	V8-ANL200	V8-ANL200-10
<b>250</b> AMP	ANL	V8-ANL250	V8-ANL250-10
<b>300</b> AMP	ANL	V8-ANL300	V8-ANL300-10





			2-PALK	I U-I-ALK
	<b>30</b> AMP	MANL	V8-MANL30	V8-MANL30-10
	<b>40</b> AMP	MANL	V8-MANL40	V8-MANL40-10
	<b>60</b> AMP	MANL	V8-MANL60	V8-MANL60-10
	<b>80</b> AMP	MANL	V8-MANL80	V8-MANL80-10
	<b>100</b> AMP	MANL	V8-MANL100	V8-MANL100-10
	<b>125</b> AMP	MANL	V8-MANL125	V8-MANL125-10
	<b>150</b> AMP	MANL	V8-MANL150	V8-MANL150-10





			5-PACK	<b>▶</b> 10-PACK
	<b>40</b> AMP	AGU	V8-AGU40	V8-AGU40-10
	<b>50</b> AMP	AGU	V8-AGU50	V8-AGU50-10
	<b>60</b> AMP	AGU	V8-AGU60	V8-AGU60-10





- > 1/0 or 4 AWG In/Out
- > Manual reset button
- > Resistant to corrosion

#### V12-CBF200





- > 1/0 or 4 AWG In/Out
- > Manual reset button
- > Resistant to corrosion

#### V12-CBF180





- > 1/0 or 4 AWG In/Out
- > Manual reset button
- > Resistant to corrosion

#### V12-CBF140





- > 1/0 or 4 AWG In/Out
- > Manual reset button
- > Resistant to corrosion

#### V12-CBF100





#### T-SPEC SLATWALL HANGING DISPLAY

- Mount on slatwall
- Dimensions: 18"x 18" TS-SLATDISP



#### T-SPEC RCA COUNTERTOP DISPLAY

- High quality printed display
- Sits on counter

TS-DISP-RCA



#### T-SPEC **SLATWALL HEADER**

TSP-HDR

- High quality printed logo graphic
- Lightweight rigid material



#### T-SPEC BANNER

- High quality printed banner
- Includes reinforced holes for hanging
- Dimensions: 48" x 24"
- TSP-BANR



#### T-SPEC T-SHIRT

- Charcoal shirt with black/red screen print on front & back
- Large TSP-SHRT13-L
- X-Large TSP-SHRT13-XL
- XX-Large TSP-SHRT13-XXL



#### T-SPEC STICKER

1.5"H x 6"W silver diecut vinyl **TSP-STICKER** 



#### T-SPEC STICKER

T-SPEC small top decal & universal decal **TSPEC-UNIKIT** 



#### T-SPEC XL DISPLAY

- Large black powder coated metal display
- Metal pegboard for strength
- Dimensions: 78"H X 39.5"W X 13.5"D

#### TSPECXL-COMBO

V8-RAK4 x 2 V8-RAK8 x 2 V8RCA-32 x 2 V8RCA-62 x 2 V8RCA-102 x 2 V8RCA-142 x 2 V8RCA-172 x 2 V8RCA-174 x 2 V8RCA-Y1 x 2 V8RCA-Y2 x 2 V8-MANL x 2 V8-ANL x 2 V8-AGU x 2 V8-3DCC V10-RAK4 x 2 V-ANL-H x 2 V-DIST-PWR x 2 V-DIST-GND x 2 V-BATT-TML x 2 V10RCA-62 x 2

V10RCA-102 x 2 V10RCA-142 x 2 V10RCA-172 x 2 V10RCA-174 x 2 V10RCA-Y1 x 2 V10RCA-Y2 x 2 V12-RAK4 x 2 V12RCA-32 x 2 V12RCA-62 x 2 V12RCA-102 x 2 V12RCA-142 x 2 V12RCA-172 x 2 V12GTRCA-174 x 2 V12RCA-Y1 x 2 V12RCA-Y2 x 2 V12FDB-14PN x 2 V12FDB-124M x 2 V12DB-1124 x 2 V12-2148PN x 2 TSPECLARGE RACK750



#### T-SPEC SKINNY DISPLAY

- Black powder coated metal
- Metal pegboard for strength
- Dimensions each: 72"h x 20"w x 13.5"d

#### TSPECV8-RACK

V8RCA-Y1 x 2 V8RCA-Y2 x 2 V8-MANL x 2 V8-ANL x 2 V8-AGU x 2 V8-3DCC TSPECV8KIT RACK700

SPEC

REORDER

SPEC REORDER

HOW

V8RCA-174 x 2 V8RCA-Y1 x 2 V8RCA-Y2 x 2 V8-MANL x 2 **V8-ANL x 2** V8-AGU x 2 V8-3DCC TSPECV8KIT RACK700

#### T-SPEC SKINNY DISPLAY

- Black powder coated metal
- Metal pegboard for strength

V10RCA-62 x 2

Dimensions each: 72"h x 20"w x 13.5"d

#### TSPECV10-RACK

#### V8-3DCC V10-RAK4 x 2 V10-RAK8 x 2 V-ANL-H x 2

V10RCA-102 x 2 V10RCA-142 x 2 V10RCA-172 x 2 V10RCA-174 x 2 V-DIST-PWR x 2 V10RCA-Y1 x 2 V-DIST-GND x 2 V10RCA-Y2 x 2 V-BATT-TML x 2 TSPECV10KIT V10RCA-32 x 2 RACK700

#### T-SPEC SKINNY DISPLAY

- Black powder coated metal
- Metal pegboard for strength
- Dimensions each: 72"h x 20"w x 13.5"d

#### TSPECV12-RACK

#### V8-3DCC

V12-RAK4 x 2 V12-RAK8 x 2 V12RCA-32 x 2 V12RCA-62 x 2 V12RCA-102 x 2 V12RCA-142 x 2

V12DB-1124 x 2 V12-2148PN x 2 TSPECV12KIT RACK700

V12RCA-Y1 x 2

V12RCA-Y2 x 2

V12FDB-14PN x 2

V12FDB-124M x 2

#### V12RCA-172 x 2 V12RCA-174 x 2



#### T-SPEC SHELF TALKER

Use T-Spec Full Spec Copper Power Wire

Call to action your display **TSPEC-AMPSTKR** 

SPEC

#### T-SPEC OUT OF STOCK CARD

Don't be left with empty shelves **TSPEC-STKCD** 

#### T-SPEC DISPLAY RACKS

- Large display RACK750
- Skinny display RACK700







#### T-SPEC DECALS

- T-SPEC small top decal & V8 decal TSPECV8KIT
- T-SPEC small top decal & V10 decal TSPECV10KIT
- T-SPEC small top decal & V12 decal **TSPECV12KIT**
- T-SPEC large top decal **TSPECLARGE**





## CHECK US OUT ONLINE AT TSPECONLINE.COM



Net 30 days from date of invoice on approved accounts. Minimum order: \$50 per invoice, orders less than required minimum incur a \$20 service charge.

FREIGHT Freight on board (F.O.B.) from point of shipment. Freight will be charged on all drop-shipment orders.

**CREDIT** In order to establish a credit line with Metra, an application for credit must be submitted listing a minimum of five (5) trade references and a bank with their addresses and phone numbers and must be signed by a principal or authorized officer of the company. A credit line will be established by our credit manager and must be maintained in a current status according to our terms (net 30 days). Credit not established or revoked requires remittance with order. Returned checks are subject to a fee of \$32.00.

#### RESALE TAX EXEMPTION CERTIFICATE

CA, TX, KY, NJ & FL customers must provide a valid resale card before an order can be placed.

#### **CLAIMS**

Title and risk of loss passes to buyer at F.O.B. shipping point and all claims must be filed with carrier. Any discrepancies must be reported to Metra within ten (10) days of receipt of shipment.

All sales are final. No returns or exchanges will be allowed without prior written authorization from Metra. All returns are subject to a 20% handling charge, must be in a saleable condition, and must have been purchased within sixty (60) days of return request. No stock balancing permitted. Copies of invoices must be mailed in advance for any return authorization (R.A.).

**LIMITED WARRANTY** Metra warrants all of its products, within this catalog, to be free from defects in material and workmanship for a period of 1-3 years from date of purchase. Please

visit www.MetraOnline.com for individual product warranty information. Metra will, at its option, repair, replace or allow credit on any part which, in Metra's opinion, is found defective under normal use. Warranty void on items misused, altered in any way, tampered with or serviced by anyone other than Metra. This warranty of merchantability of fitness neither assumes or authorizes any other person to assume for it, any other liability in connection with its products. In no event shall we be liable for any incidental or \*consequential damages, or do we assume any other liability except provided herein.

#### BACK ORDERS

If an item is temporarily unavailable for immediate shipment, we will back-order the item and ship as soon as possible from the nearest available warehouse, unless otherwise instructed.

Metra reserves the right to make changes in or deletions of products or prices without prior notice.

\*Metra will not assume any responsibility for damages to person or property due to incorrect interpretation of the material in this publication. Metra is not responsible for typographical or printing errors. Reproductions of editorial or pictorial content is strictly prohibited without prior consent from Metra.

WARNING: This catalog does not advise whether a State of California Proposition 65 warning is required for a particular item of merchandise. To learn whether a particular item of merchandise requires a California Proposition 65 warning, please be sure to look up and read the particular merchandise's listing on Metra's website www.MetraOnline.com, as well as read the particular merchandise's packaging. When a California Proposition 65 warning is present on Metra's website listing for the particular merchandise, or on the particular merchandise's packaging, a compliant California Proposition 65 warning is to be provided to the purchasing California consumer prior to the sale of the particular merchandise.



#### CORPORATE HEADQUARTERS

Metra Electronics Corporation 460 Walker Street Holly Hill, FL 32117-2699

Metra Corporate: 386.257.1186 Metra 12volt & International Sales: 386.257.2956 Sales Fax: 386.258.3940

#### **#TSPEC**



facebook.com/MetraElectronics



instagram.com/MetraElectronics



twitter.com/MetraElectronic



youtube.com/MetraElectronics



Order Anytime Day or Night at MetraDealer.com



Download all our New Catalogs at MetraOnline.com

#### WAREHOUSE OPERATIONS

Daytona Beach, FL
Dallas, TX
Freehold, NJ
Lexington, KY
Fresno, CA
Long Beach, CA



*TSPECONLINE.COM 386-257-2956* 

#### OVERSEAS OPERATIONS

Taipei, Taiwan R.O.C. • Hong Kong



TSPEC-CAT21



© Copyright 2021 - Metra Electronics Corp.