

INREACH® MINI 2 COMPACT SATELLITE COMMUNICATOR WITH GPS

NEW PRODUCT ANNOUNCEMENT

OVERVIEW | FEATURES | COMPARISON | CONFIGURATIONS | SPECIFICATIONS | MERCHANDISING | COMPATIBILITY

MARKETING MEMO

Feb. 2, 2022



PRODUCT OVERVIEW:

Home is closer than you think with inReach Mini 2. This compact satellite communicator¹ adds peace of mind to your adventures without adding weight to your pack. Stay in touch globally with two-way communication and interactive SOS capabilities (active satellite subscription required). TracBack® routing navigates you back to your starting point the same way you came — right on your device. You can also share your location with loved ones back home by using your MapShare™ page or with your coordinates embedded in your messages. The digital compass delivers accurate heading information, even when you're not moving. Use the Garmin Explore™ app on a compatible smartphone to plan trips, access topographical maps, create waypoints and courses you can sync to your device, and more. Stay on adventures longer with up to 14 days of battery life in 10-minute tracking mode.



inReach Mini 2









KEY FEATURES:

ΝLΙ	FEATURES.	
	TWO-WAY MESSAGING	Exchange text messages with loved ones back home, post to social media, or communicate inReach to inReach in the field.
	INTERACTIVE SOS ALERTS	In case of emergency, trigger an interactive SOS message to the Garmin IERCC, a 24/7 staffed emergency response coordination center.
	LOCATION SHARING	Share your location with loved ones back home at any time using your MapShare™ page or with your coordinates embedded in your messages.
	GLOBAL SATELLITE NETWORK	Instead of relying on cellphone coverage, your messages, SOS alerts and location tracking are transferred via the global Iridium® satellite network.
	FLEXIBLE SATELLITE AIRTIME PLANS	To access the Iridium network and communicate with your inReach Mini 2 device, an active satellite <u>subscription</u> is required. You can opt for an annual package or a flexible month-to-month plan.
	COMPACT, RUGGED DESIGN	Don't let the 4" x 2" size and 3.5 oz weight fool you. inReach Mini 2 is tough, durable, impact resistant (MIL-STD-810) and water-rated to IPX7.
	AUGMENTED WITH ACCESSORIES	With the optional <u>water-resistant case</u> , bring your inReach Mini satellite communicator on your dives. It protects your inReach Mini to a depth of 10 ATM (or 100 meters).
NEW	TRACBACK® ROUTING	The TracBack routing feature navigates you back to your starting point the same way you came, should you get lost — right on your device.
NEW	DIGITAL COMPASS	Get accurate heading information — even when you're not moving.
NEW	BATTERY LIFE	The internal, rechargeable lithium battery gives you up to 14 days in default 10-minute tracking mode and up to 30 days with 30-minute tracking interval.
	INREACH WEATHER FORECAST SERVICE	Get detailed weather updates on inReach Mini 2 or a paired compatible device. You can even request forecasts for your current location or other waypoints or destinations on your itinerary.
	UNLIMITED CLOUD STORAGE AND TRIP PLANNING	Get free access to the cloud-powered Garmin Explore™ website on your computer to plan your trips, create preset messages and quick texts, sync and manage your device settings, and much more.
NEW	GARMIN EXPLORE APP	Sync with the <u>mobile app</u> on your compatible smartphone for navigation, waypoints, courses, activities and collections. Also get access to trip planning and topographical mapping.
	OTHER GARMIN DEVICES	Remotely control inReach Mini 2 to send and receive messages, start and stop tracking, and trigger an interactive SOS using compatible Garmin handhelds, wearables or other mobile devices.

QUICK TEXT

GARMIN PILOT™ APP



TWO-WAY MESSAGING



TRACBACK ROUTING



DIGITAL COMPASS

Pair with the Garmin Pilot app to easily send and receive text messages from the cockpit — even without cellular

reception. The app can use the inReach Mini 2 device's GPS position and location sharing abilities for your flight.



WEATHER FORECAST



INTERACTIVE SOS



PRODUCT COMPARISON:

	inReach Mini 2	inReach Mini	GPSMAP® 66i	
Physical dimensions	2.04" x 3.90" x 1.03" (5.17 x 9.90 x 2.61 cm)	2.04" x 3.90" x 1.03" (5.17 x 9.90 x 2.61 cm)	2.5" x 6.4" x 1.4" (6.2 x 16.3 x 3.5 cm)	
Weight	3.5 oz (100.0 g)	3.5 oz (100.0 g)	8.1 oz (230 g) with batteries	
Display size	0.9" x 0.9" (23 x 23 mm)	0.9" x 0.9" (23 x 23 mm)	1.5"W x 2.5"H (3.8 x 6.3 cm); 3" diag (7.6 cm)	
Display resolution	176 x 176 pixels	128 x 128 pixels	240 x 400 pixels	
Wireless technologies	BLUETOOTH® Low Energy, ANT+® technologies	BLUETOOTH, ANT+ technologies	Wi-Fi®, BLUETOOTH, ANT+ technologies	
Digital compass	•	GPS compass only (while moving)	•	
■ Battery life	Up to 14 days at 10-minute tracking (default) Up to 30 days at 30-minute tracking	Up to 90 hours at 10-minute tracking (default) Up to 24 days at 30-minute tracking	Up to 35 hours at 10-minute tracking Up to 200 hours at 30-minute tracking	
Interface	USB-C	microUSB	High-speed microUSB and NMEA 0183 network compatible	
Water rating	IPX7 ²	IPX7 ²	IPX7 ²	
High-sensitivity receiver	•	•	•	
Global interactive SOS	•	•	•	
Send/receive text messages to SMS and email	•	•	•	
Send/receive text messages to other inReach device	•	•	•	
Exchange locations with other inReach device	•	•	•	
MapShare [™] page compatible with tracking	•	•	•	
Virtual keyboard for custom messaging	•	•	•	
Send waypoints to MapShare during trip	•	•	•	
Send route selection to MapShare during trip	•	•	•	
inReach remote compatible	•	•	•	
inReach weather	•	•	•	
Garmin Explore™ website compatible	•	•	•	
TracBack® feature	•	•	•	
Garmin Explore mobile app compatible	•		•	
Breadcrumb map	•		•	
Includes worldwide basemap			•	
BirdsEye Satellite Imagery direct-to-device			•	
Preloaded with TOPO maps for U.S. and Canada			•	
LED flashlight and beacon			•	

PRODUCT CONFIGURATIONS:

SCHEDULE B: 8526910070 HTS: 8526.91.0040

inReach Mini 2



AVAILABLE	INCLUDES			COUNTRY OF ORIGIN			
NOW	inReach Mini 2	, USB cable, carabiner, doc	cable, carabiner, documentation Mad			le in Taiwan. Cable made in China.	
DESCRIPTION		SKU	UPC		MRP (USD)	MRP (CAD)	
	ch Mini 2 ne Red	010-02602-00	75375928	1236	\$399.99	\$529.99	
	ch Mini 2 Black	010-02602-01	75375928	1243	\$399.99	\$529.99	

PHYSICAL SPECIFICATIONS:

	inReach Mini 2			
Unit dimensions (WxHxD):	2.04" x 3.90" x 1.03" (5.17 x 9.90 x 2.61 cm)			
Display Size, resolution, type:	0.9" x 0.9" (23 x 23 mm) 176 x 176 pixels Sunlight-readable, monochrome, transflective memory-in-pixel (MIP)			
Weight:	3.5 oz (100.0 g)			
Battery type:	Rechargeable internal lithium-ion			
	10-minute tracking send interval and high-detail activity recording: Up to 5 days (full sky view) / up to 2 days (moderate tree cover)			
Battery life:	10-minute tracking send interval and standard activity recording (default): Up to 14 days (full sky view) / up to 4 days (moderate tree cover)			
	30-minute tracking interval with standard activity recording: Up to 30 days (full sky view) / up to 10 days (moderate tree cover)			
	Up to 1 year when powered off			
Water rating:	IPX7 ²			
High-sensitivity receiver:	Yes			
Interface:	USB-C			
Wireless connectivity:	BLUETOOTH® Low Energy (LE), ANT+® technologies			
Multi-GNSS:	GPS, Galileo, QZSS, Beidou			
Compass:	Digital Compass, GPS Compass (while moving)			

PACKAGING SPECIFICATIONS:

	inReach Mini 2
Gift box dimensions (WxHxD):	4.7" W x 5.2" H x 2.1" D (12.0 x 13.1 x 5.3 cm)
Gift box weight:	8.0 oz (226.8 g)
Master carton dimensions (WxHxD):	17.1" W x 10.0" H x 15.1" D (43.5 x 25.4 x 38.4 cm)
Master carton weight:	22.0 lbs (10.0 kg)
Master carton quantity:	36




PRODUCT COPY:

Product copy can be downloaded from the Dealer Resource Center.

VIDEOS:

INREACH MINI 2





MERCHANDISING:

DUMMY UNITS



INREACH MINI 2 FLAME RED SKU: 010-M2602-00

INREACH MINI 2 BLACK SKU: 010-M2602-01

ACRYLIC PEDESTAL



This display is designed for small, narrow spaces and should be used inside a glass case. When featuring multiple products, pedestals may be merchandised side by side. Use with a dummy unit, small handheld bracket and small product card, ordered separately.

SKU: Size:

M00-10769-00 2.875" W x 2.875" D x 0.709" H

MERCHANDISING CONTINUED:

TRAY KIT SYSTEM



This display is great for small spaces and should be used inside a glass case. It displays up to two Garmin dummy units on each tray kit. For larger product assortments, tray kits may be merchandised side by side. Use with dummy units, small product cards, common features product cards, brackets, graphic back panels and trays, all ordered separately.

GRAPHIC BACK PANEL FOR THE TRAY KIT - 2022





M00-00900-00 Size: 7" W x 9" H

This is one panel with artwork shown on both sides

SMALL TRAY



M00-00527-00

7" W x 6" D

ACRYLIC NONPOWERED FREESTANDING DISPLAY WITH WHEELS







This display ships as one full piece with wheels, is nonpowered, great for small narrow spaces, and includes a lock and key. These displays are fully customizable and fits a variety of Garmin products. It displays up to 12 Garmin dummy units. Use with dummy units, small product cards, common features product cards and brackets all ordered separately.

Contact your inside sales rep or order administration representative to place an order for the display if you meet the order requirements.

SKU: M00-10756-00

Size: 16" W x 15" D x 68.5" H (approximately)

Delivered by FedEx Freight

Weight on pallet: 150 lbs (approximately)

Dimensions on pallet: 48" W x 40" D x 80" H (approximately)

INTERCHANGEABLE MERCHANDISING COMPONENTS THAT CAN BE USED ON THE PEDESTALS, TRAY KITS AND THE ACRYLIC NONPOWERED FREESTANDING DISPLAY:

SMALL HANDHELD BRACKET



SKU: M00-10753-00 Size: 2.0" H x 2.75" W

SMALL PRODUCT CARD

SKU: M00-00892-00 Size: 2" H x 2.5" W



TRAY KIT/ACRYLIC DISPLAY COMMON **FEATURES PRODUCT CARD**

SKU: M00-00817-02 Size: 6.75" L x 4.0" H




MERCHANDISING CONTINUED:

GARMIN BRANDED GRAY COUNTERTOP/FREESTANDING VIDEO DISPLAY

Order these components to build your Garmin branded gray counter top/freestanding video display: dummy units, brackets, SD™ card, product cards, common features product cards and graphics. You can also order these components to update your existing countertop or freestanding display. Contact your inside sales rep or order administration representative to place an order for the components or full display if you meet the order requirements.

Freestanding display size: 24" W x 60" T x 20" D









Final artwork is subject to change from images shown in the merchandising section. For more information on merchandising, please visit the Dealer Resource Center at Garmin.

COMPATIBLE APPS OVERVIEW:

GARMIN EXPLORE™ APP



MAP, TRACK, SYNC AND SHARE YOUR TREK FROM ANYWHERE

This all-in-one app is made for off-the-grid adventurers and outdoor enthusiasts alike. Download to your compatible smartphone so you can plan, navigate and review your next great adventure.

GARMIN PILOT™ APP



PLAN, FILE, FLY, LOG

Turn your mobile device into the ideal cockpit companion. Garmin Pilot puts full-featured navigation — including our decades of experience with rich, interactive mapping, aviation weather, global flight plan filing, electronic flight bag capabilities, optional traffic/weather, pilot logbook and more — right at your fingertips.

For more information on compatible apps, please visit the product pages at **Garmin.com**.

COMPATIBLE PRODUCT OVERVIEW:

DESCENT™ MK2 SERIES DIVE COMPUTERS



FĒNIX® 7 SERIES MULTISPORT GPS WATCHES



INSTINCT® SOLAR SERIES

RUGGED GPS SMARTWATCHES



EDGE® 1030 PLUS
ULTIMATE GPS BIKE COMPUTER



OVERLANDER[®] RUGGED ALL-TERRAIN NAVIGATOR



TREAD®
RUGGED POWERSPORT GPS NAVIGATOR



RINO® 700 SERIES
TWO-WAY RADIO/GPS NAVIGATORS



GPSMAP® 8400/GPSMAP 8600 TOUCHSCREEN CHARTPLOTTERS



See Garmin.com for details and available devices.

COMPATIBLE ACCESSORY OVERVIEW:

	SKU	UPC	MSRP	DESCRIPTION	IMAGE
USB cable TYPE A TO TYPE C (1 meter)	010-12994-61	753759260262	\$16.00	Connect this cable to a USB A port to recharge your compatible device and transfer data to and from your computer.	
inReach Mini dive case	010-12723-01	753759220129	\$79.99	Use this water-resistant case to bring your inReach Mini satellite communicator on your dives and have peace of mind whenever you surface. It protects inReach Mini to a depth of 10 ATM (or 100 meters).	
Swivel belt clip	010-11022-10	753759093662	\$9.99	Keep your device within reach while on the move with this swivel belt clip. Your device fits securely into a mount that clips to your belt.	
Flotation lanyard	010-12525-01	753759177133	\$9.99	Keep your device secure and close at hand on the water with this neoprene flotation lanyard, featuring a quick-release connector.	
Backpack tether	010-11855-00	753759990138	\$19.99	This lightweight backpack tether is perfect for conditions that demand hands-free attention. The durable nylon harness wrap with hook and loop attachment can accommodate any style of strap with widths up to 3.75" and is Modular Lightweight Load-carrying Equipment (MOLLE) compatible.	
Spine mount belt clip	010-11734-20	753759980375	\$9.99	Keep your compatible device within reach while on the move with this belt clip. Simply snap your device securely into the durable plastic mount, and clamp it to your belt.	SARMIN
Suction cup spine mount	010-10851-30	753759210304	\$29.99	Secure your compatible device to your windshield or any smooth, flat surface with this suction cup mount.	
Adjustable handheld mount	010-11031-00	753759075880	\$29.99	Secure your compatible handheld device to any flat surface with this adjustable mount (screws not included).	
Spine mount adapter with carabiner	010-12723-00	753759198916	\$14.99	Easily attach your compatible device to other spine mount products, including belts, backpacks and more (includes aluminum carabiner).	

The inReach Mini 2 device is compatible with other accessories not listed in this marketing memo. For more information on compatible accessories, please visit the product page at <u>Garmin.com</u>.

'Active satellite subscription required. Some jurisdictions regulate or prohibit the use of satellite communications devices. It is the responsibility of the user to know and follow all applicable laws in the jurisdictions where the device is intended to be used.

The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Garmin is under license. Wi-Fi is a registered trademark of the Wi-Fi Alliance.

Please note: The ECCNs and Classification numbers provided represent the opinion of Garmin International, Inc. of the proper classifications for the products today (based on the original software and/or original hardware). Classifications are subject to change. Under the U.S. export regulations, the U.S. Government assigns your organization or client, as exporter/importer of record, the responsibility for determining the correct classification of any item at the time of export/import. Depending on the products, the customer, or the country of destination, an export license may be required by the Department of Commerce prior to shipment. The Department of Commerce's Bureau of Industry and Security (former Bureau of Export Administration) website (http://www.bis.doc.gov) provides information that might be useful to you in determining whether you need to obtain a license for a particular shipment. To be clear, if an item described above does require a validated export license, it would be the exporter's responsibility to obtain this license prior to exportation.

²See <u>Garmin.com/waterrating</u> for more details

³When paired with a compatible smartphone