

# UN 38.3 Lithium Battery Test Summary

## Cell, Battery or Product Model Number

Item Number: IQ-8265BT

Item Name: IQ Sound BACKPACK SPEAKER

## Cell, battery, or product manufacturer's contact information

Name: SUPERSONIC INC.

Address: 6555 BANDINI BLVD.

City: COMMERCE

State: CA

ZIP: 90040

Country: U.S.

Telephone: 323-201-5060

E-mail: DANNY@SUPERSONICINC.COM Website: SUPERSONICINC.COM

## Test Laboratory

Name: China National Accreditation Service for Conformity Assessment

Address: No.8 Nanhuashi Dajie Chongwen District,

City: Beijing

State:

ZIP: 100062

Country: P.R.China

Telephone: +86-10-67105411

E-mail: info@cnas.org.cn

Website: <https://www.cnas.org.cn/english/>

## Cell or Battery Description


Cell or Battery: **CELL**

Physical Description (dimensions, appearance):

Cell or Battery Type: Li-ion

Watt-hour rating or Lithium Content: 5.55 wh

Completed Cell or Battery Weight: 39 gRAMS

**BLUE CYLINDER PLASTIC FILM S** 

Unique Test Report ID Number: 1120090514


Date of test report: 11/13/2020

### List of Tests Completed:

| Yes | No |                                  | Pass | Fail | Additional Comments (or indicate compliance with other standards, e.g., Underwriters Laboratory):            |
|-----|----|----------------------------------|------|------|--|
| X   |    | Test T.1: Altitude simulation    | X    |      |  |
| X   |    | Test T.2: Thermal test           | X    |      |  |
| X   |    | Test T.3: Vibration              | X    |      | Reference to assembled battery testing requirements, if applicable (i.e., 38.3.3 (f) and 38.3.3 (g)).        |
| X   |    | Test T.4: Shock                  | X    |      |  |
| X   |    | Test T.5: External short circuit | X    |      |  |
| X   |    | Test T.6: Impact/Crush           | X    |      | Reference to the revised edition of the Manual of Tests and Criteria used and to amendments thereto, if any: |
|     | X  | Test T.7: Overcharge             |      |      |  |
| X   |    | Test T.8: Forced discharge       | X    |      |  |

Signature with name and title of signatory as an indication of the validity of information provided:

**MICHELLE SCHMIDT / PRODUCTION MANAGER**



Date:

**4/14/2023**

# UN 38.3 Lithium Battery Test Summary

## Cell, Battery or Product Model Number

Item Number: SC-2322BT

Item Name: SUPERSONIC BLUETOOTH SPEAKER

## Cell, battery, or product manufacturer's contact information

Name: SUPERSONIC INC.

Address: 6555 BANDINI BLVD.

City: COMMERCE

State: CA

ZIP: 90040

Country: U.S.

Telephone: 323-201-5060

E-mail: DANNY@SUPERSONICINC.COM

Website: SUPERSONICINC.COM

## Test Laboratory

Name: China National Accreditation Service for Conformity Assessment

Address: No.8 Nanhuashi Dajie Chongwen District,

City: Beijing

State:

ZIP: 100062

Country: P.R.China

Telephone: +86-10-67105411

E-mail: info@cnas.org.cn

Website: <https://www.cnas.org.cn/english/>

## Cell or Battery Description

Cell or Battery: CELL

Physical Description (dimensions, appearance):

Cell or Battery Type: Li-ion

Watt-hour rating or Lithium Content: 4.44 wh

BLUE CYLINDER PLASTIC FILM S

Completed Cell or Battery Weight: 35 gRAMS



Unique Test Report ID Number: 1122020112

Date of test report: 3/28/2022

### List of Tests Completed:

| Yes | No |                                  | Pass | Fail | Additional Comments (or indicate compliance with other standards, e.g., Underwriters Laboratory):            |
|-----|----|----------------------------------|------|------|--|
| X   |    | Test T.1: Altitude simulation    | X    |      |  |
| X   |    | Test T.2: Thermal test           | X    |      |  |
| X   |    | Test T.3: Vibration              | X    |      | Reference to assembled battery testing requirements, if applicable (i.e., 38.3.3 (f) and 38.3.3 (g)).        |
| X   |    | Test T.4: Shock                  | X    |      |  |
| X   |    | Test T.5: External short circuit | X    |      |  |
| X   |    | Test T.6: Impact/Crush           | X    |      | Reference to the revised edition of the Manual of Tests and Criteria used and to amendments thereto, if any: |
|     | X  | Test T.7: Overcharge             |      |      |  |
| X   |    | Test T.8: Forced discharge       | X    |      |  |

Signature with name and title of signatory as an indication of the validity of information provided:

**MICHELLE SCHMIDT / PRODUCTION MANAGER**

Date:

4/14/2023

# UN 38.3 Lithium Battery Test Summary

## Cell, Battery or Product Model Number

Item Number: SC-1450IPX

Item Name: SUPERSONIC BLUETOOTH SPEAKER

## Cell, battery, or product manufacturer's contact information

Name: SUPERSONIC INC.

Address: 6555 BANDINI BLVD.

City: COMMERCE

State: CA

ZIP: 90040

Country: U.S.

Telephone: 323-201-5060

E-mail: DANNY@SUPERSONICINC.COM

Website: SUPERSONICINC.COM

## Test Laboratory

Name: China National Accreditation Service for Conformity Assessment

Address: No.8 Nanhuashi Dajie Chongwen District,

City: Beijing

State:

ZIP: 100062

Country: P.R.China

Telephone: +86-10-67105411

E-mail: info@cnas.org.cn

Website: <https://www.cnas.org.cn/english/>

## Cell or Battery Description

Cell or Battery: CELL

Physical Description (dimensions, appearance):

Cell or Battery Type: Li-ion

Watt-hour rating or Lithium Content: 6.66 wh

**BLUE CYLINDER PLASTIC FILM S**

Completed Cell or Battery Weight: 42 GRAMS

Unique Test Report ID Number: SEKSZ202012176798DJ210001

Date of test report: 1/1/2021

### List of Tests Completed:

| Yes | No |                                  | Pass | Fail | Additional Comments (or indicate compliance with other standards, e.g., Underwriters Laboratory):            |
|-----|----|----------------------------------|------|------|--|
| X   |    | Test T.1: Altitude simulation    | X    |      |  |
| X   |    | Test T.2: Thermal test           | X    |      |  |
| X   |    | Test T.3: Vibration              | X    |      |  |
| X   |    | Test T.4: Shock                  | X    |      |  |
| X   |    | Test T.5: External short circuit | X    |      | Reference to assembled battery testing requirements, if applicable (i.e., 38.3.3 (f) and 38.3.3 (g)).        |
| X   |    | Test T.6: Impact/Crush           | X    |      |  |
|     | X  | Test T.7: Overcharge             |      |      | Reference to the revised edition of the Manual of Tests and Criteria used and to amendments thereto, if any: |
| X   |    | Test T.8: Forced discharge       | X    |      |  |

Signature with name and title of signatory as an indication of the validity of information provided:

**MICHELLE SCHMIDT / PRODUCTION MANAGER**



Date:

**4/14/2023**

# UN 38.3 Lithium Battery Test Summary

## Cell, Battery or Product Model Number

Item Number: SC-1454IPX

Item Name: SUPERSONIC PORTABLE BLUETOOTH SPEAKER

## Cell, battery, or product manufacturer's contact information

Name: SUPERSONIC INC.

Address: 6555 BANDINI BLVD.

City: COMMERCE State: CA ZIP: 90040 Country: U.S.

Telephone: 323-201-5060 E-mail: DANNY@SUPERSONICINC.COM Website: SUPERSONICINC.COM

## Test Laboratory

Name: Guangzhou MCM certification & testing Co. Ltd.

Address: 1/F No.13 Zhongsan road section, Shiguang Road, Guangzhou city, Guangdong

City: Guangzhou State: Guangdong ZIP: Country: CHINA

Telephone: 4008-368-355 E-mail: mark.miao@mcmtek.com Website: www.mcmtek.com

## Cell or Battery Description

Cell or Battery: CELL

Physical Description (dimensions, appearance):

Cell or Battery Type: Li-ion

Watt-hour rating or Lithium Content: 6.66 Wh

cylinder

Completed Cell or Battery Weight: 43 g

Unique Test Report ID Number: HLDY20190101U05

Date of test report: January 29, 2019

### List of Tests Completed:

| Yes | No  |                                  | Pass | Fail | Additional Comments (or indicate compliance with other standards, e.g., Underwriters Laboratory): |  |
|-----|-----|----------------------------------|------|------|---|--|
| X   |     | Test T.1: Altitude simulation    | X    |      |   |  |
| X   |     | Test T.2: Thermal test           | X    |      |   |  |
| X   |     | Test T.3: Vibration              | X    |      |   | Reference to assembled battery testing requirements, if applicable (i.e., 38.3.3 (f) and 38.3.3 (g)).        |
| X   |     | Test T.4: Shock                  | X    |      |   |  |
| X   |     | Test T.5: External short circuit | X    |      |   |  |
| X   |     | Test T.6: Impact/Crush           | X    |      |   | Reference to the revised edition of the Manual of Tests and Criteria used and to amendments thereto, if any: |
|     | N/A | Test T.7: Overcharge             |      |      |   |  |
| X   |     | Test T.8: Forced discharge       | X    |      |   |  |

Signature with name and title of signatory as an indication of the validity of information provided:

**MICHELLE SCHMIDT / PRODUCTION MANAGER**



Date:

4/14/2023

# UN 38.3 Lithium Battery Test Summary

## Cell, Battery or Product Model Number

Item Number: SC-1073ERF

Item Name: SUPERSONIC EMERGENCY SOLAR RADIO WITH FAN

## Cell, battery, or product manufacturer's contact information

Name: SUPERSONIC INC.

Address: 6555 BANDINI BLVD.

City: COMMERCE

State: CA

ZIP: 90040

Country: U.S.

Telephone: 323-201-5060

E-mail: DANNY@SUPERSONICINC.COM

Website: SUPERSONICINC.COM

## Test Laboratory

Name: Guangzhou MCM certification & testing Co. Ltd.

Address: 1/F No.13 Zhongsan road section, Shiguang Road, Guangzhou city, Guangdong

City: Guangzhou

State: Guangdong

ZIP:

Country: CHINA

Telephone: 4008-368-355

E-mail: mark.miao@mcmtek.com

Website: www.mcmtek.com

## Cell or Battery Description

Cell or Battery: CELL

Physical Description (dimensions, appearance):

Cell or Battery Type: Li-ion

Watt-hour rating or Lithium Content: 4.44 Wh

cylinder

Completed Cell or Battery Weight: 36 g

Unique Test Report ID Number: HLDY20190101U01


Date of test report: January 15, 2019

### List of Tests Completed:

| Yes | No  |                                  | Pass | Fail | Additional Comments (or indicate compliance with other standards, e.g., Underwriters Laboratory):            |
|-----|-----|----------------------------------|------|------|--|
| X   |     | Test T.1: Altitude simulation    | X    |      |  |
| X   |     | Test T.2: Thermal test           | X    |      |  |
| X   |     | Test T.3: Vibration              | X    |      | Reference to assembled battery testing requirements, if applicable (i.e., 38.3.3 (f) and 38.3.3 (g)).        |
| X   |     | Test T.4: Shock                  | X    |      |  |
| X   |     | Test T.5: External short circuit | X    |      |  |
| X   |     | Test T.6: Impact/Crush           | X    |      | Reference to the revised edition of the Manual of Tests and Criteria used and to amendments thereto, if any: |
|     | N/A | Test T.7: Overcharge             |      |      |  |
| X   |     | Test T.8: Forced discharge       | X    |      |  |

Signature with name and title of signatory as an indication of the validity of information provided:

**MICHELLE SCHMIDT / PRODUCTION MANAGER**



Date:

4/14/2023

# UN 38.3 Lithium Battery Test Summary

## Cell, Battery or Product Model Number

Item Number: SC-1074ER

Item Name: SUPERSONIC EMERGENCY SOLAR RADIO

## Cell, battery, or product manufacturer's contact information

Name: SUPERSONIC INC.

Address: 6555 BANDINI BLVD.

City: COMMERCE

State: CA

ZIP: 90040

Country: U.S.

Telephone: 323-201-5060

E-mail: DANNY@SUPERSONICINC.COM Website: SUPERSONICINC.COM

## Test Laboratory

Name: Guangzhou MCM certification & testing Co. Ltd.

Address: 1/F No.13 Zhongsan road section, Shiguang Road, Guangzhou city, Guangdong

City: Guangzhou

State: Guangdong

ZIP:

Country: CHINA

Telephone: 4008-368-355

E-mail: mark.miao@mcmtek.com Website: www.mcmtek.com

## Cell or Battery Description

Cell or Battery: CELL

Physical Description (dimensions, appearance):

Cell or Battery Type: Li-ion

Watt-hour rating or Lithium Content: 4.44 Wh

cylinder

Completed Cell or Battery Weight: 36 g

Unique Test Report ID Number: HLDY20190101U01

Date of test report: January 15, 2019

### List of Tests Completed:


| Yes | No  |                                  | Pass | Fail | Additional Comments (or indicate compliance with other standards, e.g., Underwriters Laboratory):            |
|-----|-----|----------------------------------|------|------|--|
| X   |     | Test T.1: Altitude simulation    | X    |      |  |
| X   |     | Test T.2: Thermal test           | X    |      |  |
| X   |     | Test T.3: Vibration              | X    |      | Reference to assembled battery testing requirements, if applicable (i.e., 38.3.3 (f) and 38.3.3 (g)).        |
| X   |     | Test T.4: Shock                  | X    |      |  |
| X   |     | Test T.5: External short circuit | X    |      |  |
| X   |     | Test T.6: Impact/Crush           | X    |      | Reference to the revised edition of the Manual of Tests and Criteria used and to amendments thereto, if any: |
|     | N/A | Test T.7: Overcharge             |      |      |  |
| X   |     | Test T.8: Forced discharge       | X    |      |  |

Signature with name and title of signatory as an indication of the validity of information provided:

**MICHELLE SCHMIDT / PRODUCTION MANAGER**

Date:

**4/14/2023**



# UN 38.3 Lithium Battery Test Summary

## Cell, Battery or Product Model Number

Item Number: SC-1075ER

Item Name: SUPERSONIC EMERGENCY SOLAR RADIO

## Cell, battery, or product manufacturer's contact information

Name: SUPERSONIC INC.

Address: 6555 BANDINI BLVD.

City: COMMERCE

State: CA

ZIP: 90040

Country: U.S.

Telephone: 323-201-5060

E-mail: DANNY@SUPERSONICINC.COM Website: SUPERSONICINC.COM

## Test Laboratory

Name: Guangzhou MCM certification & testing Co. Ltd.

Address: 1/F No.13 Zhongsan road section, Shiguang Road, Guangzhou city, Guangdong

City: Guangzhou

State: Guangdong

ZIP:

Country: CHINA

Telephone: 4008-368-355

E-mail: mark.miao@mcmtek.com Website: www.mcmtek.com

## Cell or Battery Description

Cell or Battery: **CELL**

Physical Description (dimensions, appearance):

Cell or Battery Type: Li-ion

Watt-hour rating or Lithium Content: 4.44 Wh

**cylinder**

Completed Cell or Battery Weight: 36 g

Unique Test Report ID Number: HLDY20190101U01


Date of test report: January 15, 2019

### List of Tests Completed:

| Yes | No  |                                  | Pass | Fail | Additional Comments (or indicate compliance with other standards, e.g., Underwriters Laboratory):            |
|-----|-----|----------------------------------|------|------|--|
| X   |     | Test T.1: Altitude simulation    | X    |      |  |
| X   |     | Test T.2: Thermal test           | X    |      |  |
| X   |     | Test T.3: Vibration              | X    |      | Reference to assembled battery testing requirements, if applicable (i.e., 38.3.3 (f) and 38.3.3 (g)).        |
| X   |     | Test T.4: Shock                  | X    |      |  |
| X   |     | Test T.5: External short circuit | X    |      |  |
| X   |     | Test T.6: Impact/Crush           | X    |      | Reference to the revised edition of the Manual of Tests and Criteria used and to amendments thereto, if any: |
|     | N/A | Test T.7: Overcharge             |      |      |  |
| X   |     | Test T.8: Forced discharge       | X    |      |  |

Signature with name and title of signatory as an indication of the validity of information provided:

**MICHELLE SCHMIDT / PRODUCTION MANAGER**



Date:

**4/14/2023**