



Tankless Water Heater Descaler Kit

1. 32 fl. oz. Non-Corrosive Descaling Agent
2. 1/6 HP Submersible Pump
3. Elevated Pump Grate
4. 6FT PVC Hoses
5. 5 Gallon Bucket



- Restores circulation and pressure to your water heater in minutes - more effectively than vinegar and with no strong odor
- Improves flow and heating efficiency by desolving scale, lime and rust deposits




1



2



3



4



5



AVAILABLE IN MULTIPLE KIT OPTIONS, including Gallon Bottle Descalers



Tankless Water Heater Descaler Kits

Multiple kit options to choose from!

1. Descaler Kit with 32 fl. oz Powder

- 1/6 HP Submersible Pump
- Elevated Pump Grate
- 6ft PVC Hoses
- 5 Gallon Bucket
- 32 fl. oz. Descaling Powder

2. Descaler Kit with 128 fl. oz liquid

- 1/6 HP Submersible Pump
- 6ft PVC Hoses
- 5 Gallon Bucket
- 128 fl. oz. Descaling Powder

3. Descaler Kit - Just Add Descaler

- 1/6 HP Submersible Pump
- Elevated Pump Grate
- 6ft PVC Hoses
- 5 Gallon Bucket

4. Descaler Kit with 32 fl. oz liquid

- 1/6 HP Submersible Pump
- Elevated Pump Grate
- 6ft PVC Hoses
- 5 Gallon Bucket
- 32 fl. oz. Descaling Liquid



1. Descaler Kit with 32 fl. oz powder

SKU: CXTE-1369
UPC: B0B3ZCQPNV



2. Descaler Kit with 128 fl. oz liquid

SKU: CXT2-1101
UPC: B08S36FBX4



3. Descaler Kit - Just Add Descaler

SKU: CXT1-1102
UPC: B08JH6W566



4. Descaler Kit with 32 fl. oz liquid

SKU: DHX1-1055
UPC: B084GFD3NN



Tankless Water Heater Descaler Powders

AVAILABLE IN BOTH 32 FL. OZ AND 1 GAL

Restores circulation and pressure to your water heater in minutes – more effectively than vinegar and with no strong odor

Improves flow and heating efficiency by dissolving scale, lime and rust deposits

Simply add contents into 2 gallons of water, mix until fully dissolved, shut off water supply, and use a pump to recirculate until unit is clean.



Available in both liquid and powders!

32 fl. oz. powder
SKU: CXTE-1368
UPC: B0B197SR42

32 fl. oz. liquid
SKU: DHX1-1056
UPC: 81237604251

128 fl. oz liquid
SKU: CXT1-1103
UPC: 84014039231



1/6 HP SUBMERSIBLE UTILITY PUMP

Powerful bottom filter quickly removes water down to 1/4" of the surface, with included adapter for 3/4" hoses



- - - - 1-1/4" to 3/4" adapter included in unit
- - - - Built-In Thermal overload protector
- - - - Split Capacitor Motor



115
VOLTS

3.2
AMPS

0.17
HP

POWERFUL FLOW SPEED

- - - - 10 Ft Cord

