



UN38.3 试验概要

UN38.3 Test Summary



812200300074549

单位信息 Company information

委托单位 Consignor	曙鹏科技(深圳)有限公司 Springpower Technology (Shenzhen) Co.,Ltd. 中国广东省深圳市龙华区福城街道福民社区超顺工业区 2 号 101,人民路 221 号楼房六 101, 楼房七 101 101, No.2, Chaoshun Industrial Zone, 101 Building 6 and 101 Building 7, No.221 on Renmin Road, Fumin Community, Fucheng Street, Longhua District, Shenzhen City, Guangdong Province, P. R. China. 0755-61862699-818 jlluo@highpowertech.com www.highpowertech.com
生产单位 Manufacturer	曙鹏科技(深圳)有限公司 Springpower Technology (Shenzhen) Co.,Ltd. 中国广东省深圳市龙华区福城街道福民社区超顺工业区 2 号 101,人民路 221 号楼房六 101, 楼房七 101 101, No.2, Chaoshun Industrial Zone, 101 Building 6 and 101 Building 7, No.221 on Renmin Road, Fumin Community, Fucheng Street, Longhua District, Shenzhen City, Guangdong Province, P. R. China. 0755-61862699-818 jlluo@highpowertech.com www.highpowertech.com
测试单位 Test lab	中国电子技术标准化研究院 China Electronics Standardization Institute 北京市东城区安定门东大街1号 NO.1, ANDINGMENDONGDAJIE, BEIJING, CHINA 010-64102207 wenjuan@cesi.cn http://www.cesi.cn/page/index.htm

电池信息 Battery information

名称 Name	可充式锂离子电池组 Rechargeable Li-ion Battery	品牌 Brand	/
型号 Type	361-00136-21	原始测试型号 Original tested type	361-00136-20
标称电压(V) Nominal voltage	3.87	容量/能量 Capacity/energy	205mAh 0.793Wh
描述 Description	可充电锂离子单电芯电池 Rechargeable Li-ion single cell battery	锂含量(g) Li content	/
质量(kg) Mass	0.00349	外观 Appearance	白色塑料薄膜外壳 White plastic film shell

测试信息 Test information

原报告编号 Original test report No.	S21-B1201-1	测试报告日期 Date of test report	2021-12-17
测试标准 Test standard	联合国《关于危险货物运输的建议书试验和标准手册》 第 38.3 章 UNITEDNATIONS "Recommendations on the TRANSPORT OF DANGEROUS GOODS" Manual of Tests and Criteria 38.3 ST/SG/AC.10/11/Rev.6/Amend.1		
T.1 高度模拟 Altitude simulation	合格 Passed	T.2 温度测试 Thermal test	合格 Passed
T.3 振动测试 Vibration	合格 Passed	T.4 冲击测试 Shock	合格 Passed
T.5 外部短路 External short circuit	合格 Passed	T.6 挤压 Crush	合格 Passed
T.7 过度充电 Overcharge	合格 Passed	T.8 强制放电 Forced discharge	合格 Passed
38.3.3 (f)	/	38.3.3 (g)	/



声 明

Statement

1. 试验概要无本实验室公章（或检验检测专用章）无效。

The test summary is invalid if it is not affixed the official seal of the laboratory to it.

2. 试验概要复印件无效。

Copies of the test summary are invalid.

3. 试验概要无签字及签字者姓名和职务无效。

The test summary is invalid without the signature, name and title of the signatory.

4. 试验概要涂改无效。

The test summary is invalid if it is blotted out.

5. 未经本实验室书面批准，不得部分复制试验概要。

It is forbidden to copy the test summary partially without the written approval of the laboratory.

6. 试验概要中描述的检测结果，仅对所测样品有效。

The conclusion of the test summary is only valid for the tested sample.

7. 试验概要以中文为准，英文文本（如有）仅为译文，两者发生冲突时，应以中文文本为准。

The test summary has been drafted in Chinese and translated into English (if exist) for convenience only. In the event of discrepancy, the Chinese version shall prevail.

地址：上海市云岭东路 345 号 Address: No. 345 East Yunling Road, Shanghai

邮政编码(PostCode): 200062

电话(Tel): (021) 31765555 传真(Fax): (021) 31015117

网址(website): www.ghs.cn

电子信箱(E-mail): battery@ghs.cn




UN38.3 试验概要

UN38.3 Test Summary





812200300074549

样品图片 Sample Picture



Model(型号/型號):361-00136-21 **GARMIN**
 Rechargeable Li-ion Battery 中国制造 中國製造 11CP3/21/26
 可充式锂离子电池组 可充式鋰離子電池組 Made in China
 Voltage(标称电压/標稱電壓): 3.87V A/S: 182-2-21415800
 Rated Capacity(額定容量/額定電容量): 295mAh 0.793Wh
 充电限制电压/充電限制電壓: 4.45V
 Must be recycled or disposed of properly
 Pack Assembly Date: 10/20/22
 制造商: 睿鵬科技(深圳)有限公司
 製造商: 睿鵬科技(深圳)有限公司 RQ42PQ43B04FQ
 Manufacturer: Springpower Technology (Shenzhen) Co.,Ltd.
 Red Wire(红线/紅線): "+" Black Wire(黑线/黑線): "-"



<p>结论 Conclusion</p>	<p>测试样品符合联合国《关于危险货物运输的建议书试验和标准手册》ST/SG/AC.10/11/Rev.6/Amend.1 38.3 标准要求。The tested samples meet the requirements of test items of the UNITED NATIONS "Recommendations on the TRANSPORT OF DANGEROUS GOODS" Manual of Tests and Criteria ST/SG/AC.10/11/Rev.6/Amend.1 38.3</p>	
<p>备注 Remark</p>	<p>/</p>	
<p>签名 Signature 职务 Title</p>	<p> 王寅 副总工程师 Vice chief engineer</p>	<p>签发日期 Issued date</p> <p>2022-12-10 </p>

-验证码:458690-

报告结束

