



PORTABLE MINI  
FRIDGE COOLER

EFC-5000



## USER MANUAL

Please read carefully before use and keep for future reference.

# SAFETY INSTRUCTIONS

1. Read these instructions – All the safety and operating instructions should be read before this product is operated.
2. Keep these instructions. The safety and operating instructions should be retained for future reference.
3. Heed all warnings. All warnings on the appliance and in the operating instructions should be adhered to.
4. Do not use this apparatus near water. The device should not be used near water or moisture – for example, in a wet basement or near a swimming pool, and the like.
5. Clean only with a dry cloth.
6. Do not block any ventilation openings.
7. Do not operate or place near any heat sources such as radiators, heat registers, stoves, or other apparatus (including amplifiers) that produce heat.
8. Protect the power cord from being walked on or pinched particularly at the plugs, power outlets, and at the point where they exit from the apparatus.
9. Only use attachments/accessories specified by the manufacturer.
10. Unplug the apparatus during lightning storms or when unused for long periods of time.
11. Refer all servicing to qualified personnel. Servicing is required when the apparatus has been damaged in any way, such as a damaged power supply cord or plug.
12. **WARNING:** To reduce the risk of fire or electric shock, do not expose this device to any moisture, including rain or high humidity. Do not place any vases, or any liquid containers on the speaker.
13. **WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov). This product meets and complies with required Federal product guidelines.
14. Only use the device in moderate climates.
15. The ventilation should not be impeded by covering the ventilation openings with items, such as newspapers, tablecloths, curtains, etc.
16. Do not place open flame sources, such as lighted candles, on the apparatus.
17. **CAUTION:** These servicing instructions are for use by qualified service personnel only.
18. To reduce the risk of electric shock do not perform any servicing other than that contained in the operating instructions unless you are qualified to do so.
19. **CAUTION: TO REDUCE THE RISK OF ELECTRIC SHOCK, DO NOT REMOVE THE DEVICE HOUSING. DO NOT OPEN THE UNIT. SERVICING SHALL ONLY BE DONE BY QUALIFIED SERVICE PERSONNEL.**
20. **NOTE:** The manufacturer is not responsible for any radio or TV interference caused by unauthorized modifications.


# PACKAGE ACCESORIES

EFC-5000..... 1 Piece  
 DC Power Adapter ..... 1 Piece

AC Power Adapter ..... 1 Piece  
 User Manual ..... 1 Piece

# POWER & CONTROL FEATURES

Rear View



# SPECIFICATIONS

Capacity	4-liter/ 6 cans( 12oz)
Item Dimensions (LxWxH)	7.13 x 9.65 x 10.67 Inches
Item Weight (lbs)	3.38
Installation Type	Tabletop/Desktop
Power:	AC 120V / 60HZ 40W 0.6A
	DC 12V / 36W 3A
Shelf Type	Wire
Shelf Removable	Removable Shelf
Temperature Range	28-30 degrees F below the ambient temperature
Includes	AC Cable, 12v car adapter

# CONNECTING POWER


## AC POWER

- To power your cooler with AC power, connect the AC power cord into the back of the unit and a standard power outlet.

## DC POWER

- To power your cooler with DC power, connect a DC power cord into the back of the unit and a car DC outlet.

## Rear View



# OPERATING NOTES

## NOTES:

- The temperature range of this product is calibrated to maintain 28-30° F BELOW ambient room temperature in the COOL SETTING.
- It is important to understand there is no thermostat, and the maximum chill temperature will not reach below 43° F (6° C). It is the ideal temperature for beauty products and beverages, but not recommended for perishable foods or prolonged storage of dairy products.
- Ambient temperature refers to the temperature of the surrounding air. For example, if the air surrounding the unit is 75° F (24° C), then the unit will keep the contents chilled to a range of 46°-50° F (8°-10° C).

## FCC NOTICE

**WARNING:** Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

**NOTE:** This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules.

These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

## SUPPORT

If you have problems with your device, please consult the instructions in this manual. Please also visit us on the web at [www.emersonaudio.com](http://www.emersonaudio.com) to get up to the minute news, alerts, and documentation for your device. For additional assistance, please contact Emerson Technical support.

EMERSON Technical Support  
2320 East 49th Street  
Vernon, CA 90058  
Tel: (866) 411-6292  
Email: [support@emersonaudio.com](mailto:support@emersonaudio.com)

Made in China