

MSDS Report

No. **8621.SH.1933.0129** Date: **01.05, 2022** Page: **1 / 1**

Applicant : JIANGSU YISHUN MEDICAL EQUIPMENT CO.,LTD
Address : No.25 Haiyan Road, Binhai Industrial Zone, Qidong, Nantong City,
Jiangsu Province,China

Below information submitted by the applicant:

Name : HOT COLD PACK; ICE PACK
Model : /
Reference info. : /
Supplier info. : /
Buyer info. : /
Destination : Europe
Original : China

Sample Received : 01.01, 2022
Test Period : 01.02, 2022 ~ 01.05, 2022
Test Requirement : Please refer to next page(s).
Test Method : Please refer to next page(s).
Test Result : Please refer to next page(s).
Test Conclusion : Please refer to next page(s).

Result Summary	Test Items	Verdict
	1. Material Safety Data Sheet for the submitted samples in according to GHS Rev.3 and European Regulation No.1272/008, No.1907/2006 and its amendments	Refer to next



Jerry Zhao, Technical Director
Signed for and on behalf of
TUV THÜRINGEN SHANGHAI CO., LTD.
Shanghai

JIANGSU YISHUN MEDICAL EQUIPMENT CO.,LTD

SAFETY DATA SHEET

No.25 Haiyan Road, Binhai Industrial Zone, Qidong, Nantong City, Jiangsu Province,China

Prepared

2022.01.05

According to GHS Rev.3 and European Regulation No.1272/008, No.1907/2006 and its amendments

Version	Ver.0	Printing Date	Jan,05, 2022	Page	1 / 10
---------	-------	---------------	--------------	------	--------

Section 1 Identification of the substance/ mixture and of the company/ undertaking

1.1	Product identifier	
	Product form	Articles
	Product Name	HOT COLD PACK; ICE PACK
	Model/Type	/
	CAS No.	Refer to section 3
	Type of product	Articles
	Chemical structure	Refer to section 3
	Synonyms	/
	Product group	/
1.2.1	Relevant identified uses	
	Main use category	Hot and Cold use
	Use of the substance / article	For more detail information, see technical data sheet
1.2.2	Uses advised against	
	No additional information available	
1.3	Details of the supplier of safety data sheet	
	Manufacturer/ supplier	JIANGSU YISHUN MEDICAL EQUIPMENT CO.,LTD No.25 Haiyan Road, Binhai Industrial Zone, Qidong, Nantong City, Jiangsu Province,China TEL: 86-513-83905760 E-mail: Yishun02@yishun.cn
1.4	Emergency telephone number	86-513-83905760

Section 2 Hazards identification

2.1	Classification of the substances or mixture	Not a hazardous substance or mixture. Caution! This is expected to be a low hazard for usual industrial handling. May cause eye, skin, and respiratory tract irritation. Target Organs: None known.
2.2	Label elements	Signal word: none Pictograms: none
2.3	Precautionary Statements	Eye: May cause eye irritation. Skin: May cause skin irritation. Low hazard for usual industrial handling. Ingestion: Ingestion of large amounts may cause gastrointestinal irritation. Low hazard for usual industrial handling. May cause headache.



TÜV Thüringen China 8621.SH.1933.0129 detail

E-mail: shanghai@tuv-thuringen.de

Web: <https://www.tuv-thuringen.com.cn>

TUV Thuringen (Shanghai) Co. Ltd.

Room C6, Floor 16th Jiangsu Building, No.526 Laoshan Road, Shanghai 200122, P.R.China

JIANGSU YISHUN MEDICAL EQUIPMENT CO.,LTD

SAFETY DATA SHEET

No.25 Haiyan Road, Binhai Industrial Zone, Qidong, Nantong City, Jiangsu Province,China

Prepared

2022.01.05

According to GHS Rev.3 and European Regulation No.1272/008, No.1907/2006 and its amendments

Version	Ver.0	Printing Date	Jan,05, 2022	Page	2 / 10
---------	-------	---------------	--------------	------	--------

Inhalation: Low hazard for usual industrial handling. Inhalation of a mist of this material may cause respiratory tract irritation.

Chronic: No information found.

2.4 Hazards not otherwise classified

Not applicable

2.4 Other information

Do not inhale fumes during baking. Overheating oven hardening polymer clays will result in blackening and release of irritating gases including hydrogen chloride vapor.

2.5 Other hazards

Not specified

2.6 Other hazards

Results of PBT and vPvT assessment

PBT No data available

vPvT No data available

Section 3 Composition/ information on ingredients

3.1 Substance

Preparation

3.2 Composition

Name	CAS No.	EC No.	Concentration, %
Water	7732-18-5	231-791-2	64.8
Glycerol, Natural Materials	56-81-5	200-289-5	25.0
Poly(acrylic acid) partial sodium salt.	9033-79-8	682-676-2	10.0
Methyl 4-hydroxybenzoate	99-76-3	202-785-7	0.2

Section 4 First-aid measures

Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Take care to self-protect by avoiding becoming contaminated.

4.1 Description of first aid measures

General advice If irritation or other symptoms occur or persist from any route of exposure see a physician/get medical attention.

If inhaled Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid if cough or other symptoms appear.

In case of skin contact Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical aid if irritation develops or persists. Wash clothing before reuse.

In case of eye contact Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. If irritation develops, get medical aid.



TÜV Thüringen China 8621.SH.1933.0129 detail

E-mail: shanghai@tuv-thuringen.de

Web: <https://www.tuv-thuringen.com.cn>

TUV Thuringen (Shanghai) Co. Ltd.

Room C6, Floor 16th Jiangsu Building, No.526 Laoshan Road, Shanghai 200122, P.R.China

Version	Ver.0	Printing Date	Jan,05, 2022	Page	3 / 10
---------	-------	---------------	--------------	------	--------

Ingestion Never give anything by mouth to an unconscious person. Do NOT induce vomiting. If conscious and alert, rinse mouth and drink 2-4 cupfuls of milk or water. Get medical aid if irritation or symptoms occur.

4.2 Most important symptoms and effects, both acute and delayed No data available

4.3 Indication of any immediate medical attention and special treatment needed If medical advice is needed, have product container or label at hand. All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

Section 5 Firefighting measures

As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Use water spray to keep fire-exposed containers cool. Vapors may be heavier than air. They can spread along the ground and collect in low or confined areas. Containers may explode when heated

5.1 Extinguishing media

Suitable extinguishing media

Use water spray to cool fire-exposed containers. Use agent most appropriate to extinguish fire. Use water spray, dry chemical, carbon dioxide, or appropriate foam.

Unsuitable extinguishing media

No data available

5.2 Special hazards arising from the substance or mixture

Fire hazard: DIRECT FIRE HAZARD. Combustible, keep away from open flame, no smoking. INDIRECT FIRE HAZARD. Temperature above flashpoint: higher fire/explosion hazard.

Explosion hazard: No direct explosion hazard.

Reactivity: Decomposes on exposure to temperature rise: release of toxic/corrosive/combustible gases/vapors (acrolein). Upon combustion CO and CO₂ are formed. May polymerize on exposure to temperature rise. Reacts violently with (strong) oxidizers: (increased) risk of fire/explosion. Reacts with (some) acids: (increased) risk of fire/explosion.

5.3 Advice for firefighters

Firefighting instructions: Exercise caution when fighting any chemical fire.

Protection during firefighting: Firefighters should wear full protective gear. Use self contained breathing equipment if in confined place. Do not enter fire area without proper protective equipment, including respiratory protection.

Other information

No data available

Section 6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Mark the danger area. Exposure to heat: have neighborhood close doors and windows. Exposure to fire/heat: consider evacuation. Wash contaminated clothes. Use gloves, face shield

For Non-emergency Personnel

Protective equipment: Use appropriate personal protection equipment (PPE).

Emergency procedures: Evacuate unnecessary personnel.

For Emergency Responders

Protective equipment: Equip cleanup crew with proper protection. Use appropriate personal protection

JIANGSU YISHUN MEDICAL EQUIPMENT CO.,LTD

SAFETY DATA SHEET

No.25 Haiyan Road, Binhai Industrial Zone, Qidong, Nantong City, Jiangsu Province,China

Prepared

2022.01.05

According to GHS Rev.3 and European Regulation No.1272/008, No.1907/2006 and its amendments

Version	Ver.0	Printing Date	Jan,05, 2022	Page	4 / 10
---------	-------	---------------	--------------	------	--------

equipment (PPE).
Emergency procedures: Ventilate area.

6.2 Environmental precautions

Do not allow to flow into drainage system.

6.3 Methods and material for containment and cleaning up

Collect leakage in sealable containers, soak up with sand or other inert absorbent and remove to safe place. Flush away remainder with water.

6.4 Reference to other sections

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

Section 7 Handling and storage

7.1 Precautions for safe handling

Prevention of user exposure: Put on appropriate personal protective equipment. Use gloves and wear goggles when handling. Avoid breathing mist.

Prevention of fire and explosion: Handling temperature ≥ 10 °C above melting point
Precautions while moving the product: Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous.

Hygiene Measures: Workers should wash hands and face before eating, drinking and smoking.

7.2 Conditions for safe storage, including any incompatibilities

Storage precautions: Keep in a cool and dry place. Keep separate from oxidants.

Avoid extreme heat and cold. Avoid direct fire. Store in clean, dry, and preferably stainless steel or HDPE vessels.

In bulk, store at ambient temperature.

Temperature higher than necessary degrades quality at rate dependent on time and temperature of exposure. Exposure to ultraviolet light, especially sunlight, must be minimized to prevent quality loss.

Incompatible products: KEEP SUBSTANCE AWAY FROM: heat sources, oxidizing agents, (strong) acids, (strong) bases. Packaging materials: Packaging should be closable, dry, clean, correctly labelled, and meet the legal requirements. Secure fragile packaging in solid containers. Suitable storage includes steel, aluminum, iron, synthetic material, glass.

7.3 Specific end uses

For writing eraser use only.

Section 8 Exposure controls/personal protection

8.1 Control parameters

Glycerol, TWA: 10mg/m³

8.2 EXPOSURE CONTROLS

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed.



TÜV Thüringen China 8621.SH.1933.0129 detail

E-mail: shanghai@tuv-thuringen.de

Web: <https://www.tuv-thuringen.com.cn>

TUV Thuringen (Shanghai) Co. Ltd.

Room C6, Floor 16th Jiangsu Building, No.526 Laoshan Road, Shanghai 200122, P.R.China

JIANGSU YISHUN MEDICAL EQUIPMENT CO.,LTD

SAFETY DATA SHEET

No.25 Haiyan Road, Binhai Industrial Zone, Qidong, Nantong City, Jiangsu Province, China

Prepared

2022.01.05

According to GHS Rev.3 and European Regulation No.1272/008, No.1907/2006 and its amendments

Version	Ver.0	Printing Date	Jan,05, 2022	Page	5 / 10
---------	-------	---------------	--------------	------	--------

Personal protective equipment

Eye/face protection	Use protective goggles and/or a full face shield where splashing is possible. Use equipment approved by appropriate government standards, such as NIOSH (US) or EN166 (EU). Maintain eye wash fountain and quick-drench facilities in work area.
Skin protection	suitable protective gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands and suitable protective clothing.
Body protection	Suitable protective clothing.
Respiratory protection	Mist formation: aerosol mask with filter type P1. On heating: gas mask with filter type A.
Control of environmental exposure	If exposure limits are exceeded or irritation is experienced, NIOSH approved respiratory protection should be worn.
Other information	When using, do not eat, drink or smoke.

Section 9 Physical and chemical properties

9.1	Information on basic physical and chemical properties	
	Physical state	
	Appearance	Liquid
	Color	Orange red
	Odor	Odor free
	Odor threshold	No data available
	pH	No data available
	Relative evaporation rate (butylacetate=1)	No data available
	Melting point	No data available
	Freezing point	No data available
	Boiling point	No data available
	Flash point	No data available
	Auto-ignition temperature	No data available
	Decomposition temperature	Not data available
	Flammability (solid, gas)	No data available
	Vapor pressure	No data available
	Relative vapor density at 20°C	No data available
	Relative density	No data available



TÜV Thüringen China 8621.SH.1933.0129 detail

E-mail: shanghai@tuv-thuringen.de

Web: <https://www.tuv-thuringen.com.cn>

TUV Thuringen (Shanghai) Co. Ltd.

Room C6, Floor 16th Jiangsu Building, No.526 Laoshan Road, Shanghai 200122, P.R.China

JIANGSU YISHUN MEDICAL EQUIPMENT CO.,LTD

SAFETY DATA SHEET

No.25 Haiyan Road, Binhai Industrial Zone, Qidong, Nantong City, Jiangsu Province, China

Prepared

2022.01.05

According to GHS Rev.3 and European Regulation No.1272/008, No.1907/2006 and its amendments

Version	Ver.0	Printing Date	Jan,05, 2022	Page	6 / 10
---------	-------	---------------	--------------	------	--------

	Density	No data available
	Solubility	Water soluble
	Log Pow	No data available
	Viscosity, kinematic	No data available
	Explosive properties	No data available
	Oxidizing properties	No data available
	Explosive limits	No data available
9.2	Other information	
	Minimum ignition energy	No data available
	VOC content	>1%
Section 10	Stability and reactivity	
10.1	REACTIVITY	
	Stable under recommended condition.	
10.2	CHEMICAL STABILITY	
	Stable under recommended condition.	
10.3	POSSIBILITY OF HAZARDOUS REACTIONS	
	No data available	
10.4	CONDITIONS TO AVOID	
	No data available	
10.5	INCOMPATIBLE MATERIALS	
	Reacts violently with strong oxidants	
10.6	HAZARDOUS DECOMPOSITION PRODUCTS	
	Low toxicity in original state and not considered hazardous to human beings. On heating/burning: release of toxic/combustible gases/vapors (acrolein).	
Section 11	Toxicological information	
11.1	Information on toxicological effects	
	Glycerol, LD ₅₀ , oral-rat, 12600mg/kg; LC ₅₀ , inhalation-rat, >580mg/m ³ /1h; LD ₅₀ , dermal-rabbit, >10000mg/kg	
	Ingestion (acute effect)	
	Acute toxicity	No data available
	Skin corrosion/irritation	Can be irritating to the skin.
	Serious eye damage/eye irritation	Can be irritating to the eyes.



TÜV Thüringen China 8621.SH.1933.0129 detail

E-mail: shanghai@tuv-thuringen.de

Web: <https://www.tuv-thuringen.com.cn>

TUV Thuringen (Shanghai) Co. Ltd.

Room C6, Floor 16th Jiangsu Building, No.526 Laoshan Road, Shanghai 200122, P.R.China

JIANGSU YISHUN MEDICAL EQUIPMENT CO.,LTD

SAFETY DATA SHEET

No.25 Haiyan Road, Binhai Industrial Zone, Qidong, Nantong City, Jiangsu Province, China

Prepared

2022.01.05

According to GHS Rev.3 and European Regulation No.1272/008, No.1907/2006 and its amendments

Version	Ver.0	Printing Date	Jan,05, 2022	Page	7 / 10
---------	-------	---------------	--------------	------	--------

Respiratory or skin sensitization	Can be harmful if absorbed through skin.
Germ cell mutagenicity	No data available
Carcinogenicity	No data available
Reproductive toxicity	No data available
Specific target organ toxicity - single exposure	No data available
Specific target organ toxicity - repeated exposure	No data available
Aspiration hazard	No data available
Additional Information	No data available

Section 12 Ecological information

12.1	Toxicity	Not expected to be acutely toxic, but material in pellet form may mechanically cause adverse effects if ingested by waterfowl or aquatic life.
	Toxicity to daphnia and other aquatic invertebrates	No data available
12.2	Persistence and degradability	No data available
12.3	Bio-accumulative potential	No data available
12.4	Mobility in soil	No data available
12.5	Results of PBT and vPvB assessment	Results of PBT assessment Not determined
12.6	Other adverse effects	No data available

Section 13 Disposal considerations

13.1	Waste treatment methods	Take up liquid spill into absorbent material, e.g.: sand, earth, vermiculite, or powdered limestone. Scoop absorbed substance into closing containers. See "Material-handling" for suitable container materials. Wash down leftovers with plenty of water. Wash clothing and equipment after handling. Do not discharge into surface water.
	Waste management (disposal and evaluation)	Waste incineration with the approval of the responsible local authority.



TÜV Thüringen China 8621.SH.1933.0129 detail

E-mail: shanghai@tuv-thueringen.de

Web: <https://www.tuv-thueringen.com.cn>

TUV Thuringen (Shanghai) Co. Ltd.

Room C6, Floor 16th Jiangsu Building, No.526 Laoshan Road, Shanghai 200122, P.R.China

JIANGSU YISHUN MEDICAL EQUIPMENT CO.,LTD

SAFETY DATA SHEET

No.25 Haiyan Road, Binhai Industrial Zone, Qidong, Nantong City, Jiangsu Province,China

Prepared

2022.01.05

According to GHS Rev.3 and European Regulation No.1272/008, No.1907/2006 and its amendments

Version	Ver.0	Printing Date	Jan,05, 2022	Page	8 / 10
---------	-------	---------------	--------------	------	--------

Regulations related to waste management

Waste incineration with the approval of the responsible local authority.

Section 14 Transport information

Not classified as dangerous in the meaning of transport regulations.

In accordance with ADR / RID / IMDG / IATA / ADN

	ADR	IMDG	IATA	AND	RID
14.1	UN Number				
	Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2	UN Proper shipping name				
	Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3	Transport hazard class(es)				
	Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4	Packing Group				
	Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5	Environmental hazards				
	Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.6	Special precautions for user				
	Overland transport		No data available		
	Transport by sea (IMDG)		No data available		
	Air transport (IATA)		No data available		
	Inland waterway transport		No data available		
	Rail transport		No data available		
14.7	Transport in bulk according to Annex II of MARPOL and the IBC Code				
	Not dangerous according to the above specifications.				

Section 15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Classification and labelling according to GHS Rev.3 and European Regulation No.1272/008, No.1907/2006 and its amendments

EU Regulations

No REACH Annex XVII restrictions

EU Regulation 10/2011 (Annex I): FCM 103 - (CAS 0000056-81-5) glycerol

National Regulations

Chemical inventories: Listed on AICS, DSL, ECL, ECST, ENCS, IECSC, NZIoC, PICCS, SWISS, TSCA,

EC inventories Swiss Ordinance (RS 817.023.21) Annex 6: List of additives (part A), List of binders (part

A), List of solvents (part A) WGK class: 1 (weak water endangering)



TÜV Thüringen China 8621.SH.1933.0129 detail

E-mail: shanghai@tuv-thuringen.de

Web: <https://www.tuv-thuringen.com.cn>

TUV Thuringen (Shanghai) Co. Ltd.

Room C6, Floor 16th Jiangsu Building, No.526 Laoshan Road, Shanghai 200122, P.R.China

JIANGSU YISHUN MEDICAL EQUIPMENT CO.,LTD

SAFETY DATA SHEET

No.25 Haiyan Road, Binhai Industrial Zone, Qidong, Nantong City, Jiangsu Province, China

Prepared

2022.01.05

According to GHS Rev.3 and European Regulation No.1272/008, No.1907/2006 and its amendments

Version	Ver.0	Printing Date	Jan,05, 2022	Page	9 / 10
---------	-------	---------------	--------------	------	--------

15.2 Chemical safety assessment

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Chronic Health Hazard

CERCLA

No chemicals in this material with known CAS numbers are subject to the reporting requirements of CERCLA

Massachusetts Right To Know Components

Glycerin CAS-No. 56-81-5 Revision Date 2007-03-01

Pennsylvania Right To Know Components

Glycerin CAS-No. 56-81-5 Revision Date 2007-03-01

New Jersey Right To Know Components

Glycerin CAS-No. 56-81-5 Revision Date 2007-03-01

California Prop 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Section 16 Other information

Legislation related to safety data sheets GHS Rev.3 and European Regulation No.1272/008, No.1907/2006 and its amendments

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks Not applicable

Texts of the legislative phrases mentioned in section 2 Not applicable

Texts of the legislative phrases mentioned in section 3 The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

Advice related to training Minimal training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Abbreviations and acronyms
ADR: European agreement concerning the international carriage of dangerous goods by road
IMDG: International maritime dangerous goods code
IATA: International Air Transport Association
ICAO: International Civil Aviation Organisation
COD: Chemical Oxygen Demand
BOD5: 5-day biochemical oxygen demand
BCF: Bioconcentration factor
LD50: Lethal Dose 50
LC50: Lethal Concentration 50
EC50: Effective concentration 50
Log-POW: Octanol–water partition coefficient



TÜV Thüringen China 8621.SH.1933.0129 detail

E-mail: shanghai@tuv-thuringen.de

Web: <https://www.tuv-thuringen.com.cn>

TUV Thuringen (Shanghai) Co. Ltd.

Room C6, Floor 16th Jiangsu Building, No.526 Laoshan Road, Shanghai 200122, P.R.China

JIANGSU YISHUN MEDICAL EQUIPMENT CO.,LTD

SAFETY DATA SHEET

No.25 Haiyan Road, Binhai Industrial Zone, Qidong, Nantong City, Jiangsu Province,China

Prepared

2022.01.05

According to GHS Rev.3 and European Regulation No.1272/008, No.1907/2006 and its amendments

Version	Ver.0	Printing Date	Jan,05, 2022	Page	10 / 10
---------	-------	---------------	--------------	------	---------

Koc: Partition coefficient of organic carbon

Other information

Training staff on good manufacturing practice. Manipulations are to be done only by qualified and authorized persons. Use good personal hygiene practices.

MSDS

This information applies to the PRODUCT AS SUCH and conforming to specifications of the company. In case of formulations or mixtures, it is necessary to ascertain that a new danger will not appear. The information contained is based on our knowledge of the product, at the date of publishing and it is given quite sincerely.

Users are advised of possible additional hazards when the product is used in applications for which it was not intended. This sheet shall only be used and reproduced for prevention and security purposes. The references to legislative, regulatory and codes of practice documents cannot be considered as exhaustive.

It is the responsibility of the person receiving the product to refer to the totality of the official documents concerning the use, the possession and the handling of the product.

It is also the responsibility of the handlers of the product to pass on to any subsequent persons who will come into contact with the product. (usage, storage, cleaning of containers, other processes). The totality of the information contained within this safety data sheet and necessary for safety at work, the protection of health and the protection of environment.

Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.